



COMMERCIAL POOL **PRODUCT LIST**

FROM THE WORLD'S
LEADING FLOATING
WATER PARK BRAND

Valid from January 1st 2022



Choosing the right size & style pool combination

We've developed a few categories that help you easily select the best combination for your pool:

Low budget



AquaDuel

Animation

WiggleTrack



AquaTrack



Unlimited individual layout alternatives possible!

Kids aged 4+

High capacity



KidsCourse

Individual combination



Shallow water

FastTrack 3



Individual combination



AquaTrack


min. water
depth


dimensions
l x w x h


user
capacity


includes

5'5" 1,65 m	55'-9" x 6'-7" x 4'-11" 17 x 2 x 1,5 m	12	Accessories kit basic
----------------	--	----	--------------------------



AquaDuel


min. water
depth



dimensions
l x w x h


user
capacity


includes

5'5" 1,65 m	36'-1" x 6'-7" x 4'-11" 11 x 2 x 1,5 m	6	-
----------------	--	---	---





Upgrade
your FastTrack with
additional WiggleDiscs
for a bigger challenge
and more fun!

FitnessTrack* NEW!

No				
item no.	min. water depth	dimensions l x w x h	user capacity	includes
31057	5'-5" 1,65 m	55'-9" x 7'-7" x 4'-11" 17 x 2,3 x 1,5 m	10	Accessories kit basic



FastTrack 3

No				
item no.	min. water depth	dimensions l x w x h	user capacity	includes
31044	3'-11" 1,2 m	50'-10" x 8'-2" x 1' 15,5 x 2,5 x 0,3 m	8	-



WiggleTrack

No				
item no.	min. water depth	dimensions l x w x h	user capacity	includes
31039	3'-11" 1,2 m	41' x 6'-7" x 1' 12,5 x 2 x 0,3 m	9	-



Upgrade your WiggleTrack with additional WiggleDiscs for a bigger challenge and more fun!



RodeoSplash




No				
item no.	min. water depth	dimensions l x w x h	user capacity	includes
30103	5'-7" 1,7 m	13'-1" x 14'-9" x 5'-3" 4 x 4,5 x 1,6 m	6	1 x electric pump






All modular products are equipped with connector straps, safety flaps & transport bags



Modular products




The Wubit modular system enables products to be interconnected to form different shapes, sizes and styles of playgrounds on the water.

						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 ActionTower XL 30000	6'-2" 1,9 m	14'-9" x 12'-10" x 6'-7" 4,5 x 3,9 x 2 m	4 x bungee	240 lbs 109 kg	4	660 lbs 300 kg
 ActionTower XXL 30001	7'-10" 2,4 m	29'-10" x 24'-11" x 9'-10" 9,1 x 7,6 x 3 m	4 x bungee	672 lbs 305 kg	8	1320 lbs 600 kg
 BalanceBeam 30002	3'-11" 1,2 m	19'-8" x 6'-7" x 1' 6 x 2 x 0,3 m	-	95 lbs 43 kg	4	660 lbs 300 kg
 Base 30003	3'-11" 1,2 m	9'-10" x 6'-7" x 1' 3 x 2 x 0,3 m	-	79 lbs 36 kg	4	660 lbs 300 kg
 Base SUS 30131	3'-11" 1,2 m	9'-10" x 9'-6" x 1' 3 x 2,9 x 0,3 m	-	106 lbs 48 kg	4	660 lbs 300 kg
 Bend* 30157	3'-11" 1,2 m	18'-1" x 18'-1" x 1' 5,5 x 5,5 x 0,3 m	1 x bungee	110 lbs 50 kg	3	440 lbs 200 kg
 Bridge 30013	4'-11" 1,5 m	9'-10" x 6'-7" x 3'-11" 3 x 2 x 1,2 m	-	77 lbs 35 kg	4	660 lbs 300 kg
 Cliff 30014	5'-5" 1,65 m	9'-10" x 6'-7" x 4'-11" 3 x 2 x 1,5 m	-	115 lbs 52 kg	4	660 lbs 300 kg
 Curve 30016	4'-11" 1,5 m	18'-1" x 18'-1" x 3'-7" 5,5 x 5,5 x 1,1 m	1 x bungee	254 lbs 115 kg	6	880 lbs 400 kg





						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 Deck 3 30147	5'-7" 1,7 m	8'-6" x 9'-10" x 5'-3" 2,6 x 3 x 1,6 m	1 x bungee	132 lbs 60 kg	4	660 lbs 300 kg
 Deck 4 30017	5'-7" 1,7 m	9'-10" x 9'-10" x 5'-3" 3 x 3 x 1,6 m	1 x bungee	141 lbs 64 kg	4	660 lbs 300 kg
 DipBars* 30156	5'-3" 1,6 m	9'-10" x 6'-7" x 4'-3" 3 x 2 x 1,3 m	-	100 lbs 45 kg	2	330 lbs 150 kg
 Dome 30078	5'-11" 1,8 m	19'-8" x 9'-10" x 4'-3" 6 x 3 x 1,3 m	1 x bungee	229 lbs 104 kg	2	440 lbs 200 kg
 Flip 30019	6'-7" 2,0 m	19' x 6'-7" x 3'-7" 5,8 x 2 x 1,1 m	1 x bungee	165 lbs 75 kg	2	330 lbs 150 kg
 GuardTower 30074	6'-3" 1,9 m	19'-8" x 9'-10" x 13'-1" 6 x 3 x 4 m	3 x bungee	392 lbs 178 kg	3	660 lbs 300 kg
 Halfpipe* 30101	4'-11" 1,5 m	9'-10" x 13'-1" x 3'-11" 3 x 4 x 1,2 m	2 x bungee	198 lbs 90 kg	6	880 lbs 400 kg
 HighRoller 30073	5'-7" 1,7 m	29'-6" x 8'-10" x 5'-3" 9 x 2,7 x 1,6 m	2 x bungee	273 lbs 124 kg	4	660 lbs 300 kg
 Hop* 30159	4'-7" 1,4 m	9'-10" x 6'-7" x 3'-3" 3 x 2 x 1 m	-	66 lbs 30 kg	2	330 lbs 150 kg
 Hurdle 30079	3'-11" 1,2 m	19'-8" x 8'-2" x 1' 6 x 2,5 x 0,3 m	-	70 lbs 32 kg	2	440 lbs 200 kg
 Junction 30025	3'-11" 1,2 m	9'-10" x 9'-10" x 1' 3 x 3 x 0,3 m	1 x bungee	115 lbs 52 kg	4	660 lbs 300 kg



All modular products are equipped with connector straps, safety flaps & transport bags

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	L-Connect* 30107	3'-11" 1,2 m	18'-1" x 13'-1" x 1' 5,5 x 4 x 0,3 m	1 x bungee	159 lbs 72 kg	6	880 lbs 400 kg
	L-Connect SUS 30135	3'-11" 1,2 m	18'-1" x 14'-5" x 1' 5,5 x 4,4 x 0,3 m	1 x bungee	179 lbs 81 kg	6	880 lbs 400 kg
	Ledge 30130	4'-1" 1,25 m	14'-9" x 12'-10" x 8'-10" 4,5 x 3,9 x 2,7 m	2 x bungee	265 lbs 120 kg	4	660 lbs 300 kg
	MonkeyBars 30072	5'-7" 1,7 m	19'-8" x 13'-1" x 6'-11" 6 x 4 x 2,1 m	2 x bungee	381 lbs 173 kg	4	660 lbs 300 kg
	Oval* 30030	3'-11" 1,2 m	15'-1" x 9'-10" x 11" 4,6 x 3 x 0,3 m	1 x bungee	168 lbs 76 kg	6	880 lbs 400 kg
	Peak 30129	7'-3" 2,2 m	19'-8" x 10'-6" x 8'-6" 6 x 3,2 x 2,6 m	2 x bungee	280 lbs 127 kg	4	660 lbs 300 kg
	Plank* 30129	4'-11" 1,5 m	19'-8" x 6'-7" x 3'-11" 6 x 2 x 1,19 m	-	181 lbs 82 kg	3	660 lbs 300 kg
	Quarterpipe 30100	5'-3" 1,6 m	19'-8" x 8'-10" x 4'-7" 6 x 2,7 x 1,4 m	2 x bungee	267 lbs 121 kg	6	880 lbs 400 kg
	R-Connect* 30108	3'-11" 1,2 m	18'-1" x 13'-1" x 1' 5,5 x 4 x 0,3 m	1 x bungee	159 lbs 72 kg	6	880 lbs 400 kg
	R-Connect SUS 30136	3'-11" 1,2 m	18'-1" x 14'-5" x 1' 5,5 x 4,4 x 0,3 m	1 x bungee	179 lbs 81 kg	6	880 lbs 400 kg
	Rock 30123	7'-10" 2,4 m	19'-8" x 22'-4" x 10'-2" 6 x 6,8 x 3,1 m	4 x bungee	608 lbs 276 kg	6	990 lbs 450 kg
	RodeoSlide* 30102	5'-7" 1,7 m	12'-2" x 6'-11" x 5'-3" 3,7 x 2,1 x 1,6 m	1 x bungee	130 lbs 59 kg	2	330 lbs 150 kg

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Roundabout 30087	4'-11" 1,5 m	19'-8" x 19'-8" x 3'-11" 6 x 6 x 1,2 m	1 x bungee	348 lbs 158 kg	6	880 lbs 400 kg
	SideKick 30040	3'-11" 1,2 m	8'-2" x 8'-2" x 1' 2,5 x 2,5 x 0,3 m	1 x bungee	51 lbs 23 kg	4	660 lbs 300 kg
	Sidewalk 30109	3'-11" 1,2 m	29'-6" x 9'-10" x 1' 9 x 3 x 0,3 m	2 x bungee	229 lbs 104 kg	12	1990 lbs 900 kg
	Slide 30042	4'-11" 1,5 m	9'-10" x 6'-7" x 3'-7" 3 x 2 x 1,1 m	-	93 lbs 42 kg	4	660 lbs 300 kg
	Slope 30044	5'-6" 1,65 m	9'-10" x 6'-7" x 4'-11" 3 x 2 x 1,5 m	2 x bungee	106 lbs 48 kg	4	660 lbs 300 kg
	Spin* 30158	4'-7" 1,4 m	19'-8" x 13'-1" x 13'-1" 6 x 4 x 4 m	2 x bungee	302 lbs 137 kg	4	660 lbs 300 kg
	Springboard 30120	8'-2" 2,5 m	19'-8" x 19'-8" x 10'-6" 6 x 6 x 3,2 m	3 x bungee	703 lbs 319 kg	8	1320 lbs 600 kg
	Start Gate* 30071	3'-11" 1,2 m	19'-8" x 9'-2" x 9'-6" 6 x 2,8 x 2,9 m	2 x bungee	262 lbs 119 kg	4	660 lbs 300 kg
	StartGate SUS 30132	3'-11" 1,2 m	19'-8" x 10'-6" x 10'-2" 6 x 3,2 x 3,1 m	2 x bungee	269 lbs 122 kg	8	1764 lbs 800 kg
	Step 30104	3'-11" 1,2 m	6'-7" x 6'-7" x 1' 2 x 2 x 0,3 m	-	73 lbs 33 kg	2	330 lbs 150 kg
	Step 6 30110	3'-11" 1,2 m	20'-8" x 9'-10" x 1' 6,3 x 3 x 0,3 m	2 x bungee	183 lbs 83 kg	6	1320 lbs 600 kg

All modular products are equipped with connector straps, safety flaps & transport bags

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	SUP Dock* 30082	3'-11" 1,2 m	14'-9" x 13'-1" x 1' 4,5 x 4 x 0,3 m	1 x bungee	143 lbs 65 kg	6	880 lbs 400 kg
	Sun Shade* 30083	3'-11" 1,2 m	9'-10" x 11'-10" x 10'-2" 3 x 3,6 x 3,1 m	1 x bungee	168 lbs 76 kg	4	660 lbs 300 kg
	Swing 30047	5'-11" 1,8 m	19'-8" x 6'-7" x 10'-6" 6 x 2 x 3,2 m	–	207 lbs 94 kg	4	660 lbs 300 kg
	TakeOff 30142	3'-11" 1,2 m	6'-7" x 4'-11" x 1' 2 x 1,5 x 0,3 m	–	40 lbs 18 kg	2	330 lbs 150 kg
	Target 30121	3'-11" 1,2 m	19'-8" x 17'-9" x 1' 6 x 5,4 x 0,3 m	1 x bungee	152 lbs 69 kg	4	660 lbs 300 kg
	T-Connect* 30075	3'-11" 1,2 m	9'-10" x 8'-2" x 1' 3 x 2,5 x 0,3 m	1 x bungee	110 lbs 50 kg	4	660 lbs 300 kg
	T-Connect with Step* 30106	3'-11" 1,2 m	9'-10" x 8'-2" x 1' 3 x 2,5 x 0,3 m	1 x bungee	110 lbs 50 kg	4	660 lbs 300 kg
	T-Connect SUS 30134	3'-11" 1,2 m	9'-10" x 9'-10" x 1' 3 x 3 x 0,3 m	1 x bungee	110 lbs 50 kg	4	660 lbs 300 kg
	Trampoline 2 30050 incl. hardware	8'-2" 2,5 m	19'-8" x 16'-5" x 2'-11" 6 x 5 x 0,9 m	1 x bungee 1 x ladder	452 lbs 205 kg	3	660 lbs 300 kg
	Trampoline 4 30080 incl. hardware	8'-2" 2,5 m	19'-8" x 19'-8" x 2'-11" 6 x 6 x 0,9 m	1 x bungee 1 x ladder	514 lbs 233 kg	3	660 lbs 300 kg

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Turn* 30122	3'-11" 1,2 m	18'-1" x 18'-1" x 1' 5,5 x 5,5 x 0,3 m	1 x bungee	205 lbs 93 kg	6	880 lbs 400 kg
	Turn SUS 30137	3'-11" 1,2 m	18'-1" x 18'-1" x 1' 5,5 x 5,5 x 0,3 m	1 x bungee	207 lbs 94 kg	6	880 lbs 400 kg
	Twist 30128	3'-11" 1,2 m	19'-8" x 7'-7" x 2'-1" 6 x 2,3 x 0,64 m	–	126 lbs 57 kg	4	660 lbs 300 kg
	V-Connect 30105	3'-11" 1,2 m	9'-10" x 6'-7" x 1' 3 x 2 x 0,3 m	–	51 lbs 23 kg	2	440 lbs 200 kg
	WiggleBridge StartBlocks (2 pcs.) 30062	3'-11" 1,2 m	6'-7" x 4'-11" x 1' 2 x 1,5 x 0,3 m per block	–	37 lbs 17 kg per block	2 per block	330 lbs 150 kg per block
	WiggleDiscs (3 pcs.) 30060	3'-11" 1,2 m	3'-3" x 3'-3" x 0'-6" 1 x 1 x 0,14 m per disc	4 x Wiggle connector strap with carabiner	13 lbs 6 kg per disc	1 per disc	220 lbs 100 kg per disc
	Y-Connect 30076	3'-11" 1,2 m	9'-10" x 9'-10" x 1' 3 x 3 x 0,3 m	1 x bungee	93 lbs 42 kg	4	660 lbs 300 kg


*subject to availability


· Sales according to our terms of trading
· Prices and specifications subject to change without notice



Standalone products

Standalone products cannot be connected to other products. They are usually positioned next to our SportsParks as an add-on. This increases the dimensions of the SportsPark area.

						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 BeachTent 30070	–	9'-2" x 6'-11" x 8'-2" 2,8 x 2,1 x 2,5 m	–	66 lbs 30 kg	–	–
 Billboard* 30004	–	15'-9" x 3'-11" x 3'-3" 4,8 x 1,2 x 1 m	–	75 lbs 34 kg	–	–
 Bouncer XXL 30008 incl. hardware	8'-2" 2,5 m	18'-4" x 18'-4" x 2'-11" 5,6 x 5,6 x 0,9 m	1 x bungee 1 x electric pump 1 x ladder	150 lbs 68 kg	3	660 lbs 300 kg
 Climber* 30015	6'-7" 2,0 m	8'-10" x 8'-2" x 4'-11" 2,7 x 2,5 x 1,5 m	1 x hand & electric pump	112 lbs 51 kg	4	660 lbs 300 kg
 Flipper* 30020	8'-2" 2,5 m	13'-1" x 6'-7" x 2'-11" 4 x 2 x 0,9 m	–	60 lbs 27 kg	2	330 lbs 150 kg
 Guard Board* 30085	–	7'-3" x 3'-3" x 11" 2,2 x 1 x 0,3 m	1 x paddle 1 x hand pump	37 lbs 17 kg	2	440 lbs 200 kg
 Hurdle NM*** 30022	3'-11" 1,2 m	18'-1" x 8'-2" x 11" 5,5 x 2,5 x 0,3 m	–	55 lbs 25 kg	2	330 lbs 150 kg
 IceTower XXL 30024	9'-11" 3,0 m	19'-8" x 15'-1" x 13'-9" 6 x 4,6 x 4,2 m	4 x bungee 1 x electric pump	412 lbs 187 kg	8	1320 lbs 600 kg
 PoloGoal 30032	–	8'-6" x 3'-11" x 3'-7" 2,6 x 1,2 x 1,1 m	1 x volleyball 1 x ball & hand pump	31 lbs 14 kg	–	–

						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 Rock + Step 30146	7'-10" 2,4 m	19'-8" x 28'-10" x 10'-2" 6 x 8,8 x 3,1 m	4 x bungee 1 x electric & hand pump	666 lbs 302 kg	8	1320 lbs 600 kg
 RodeoSplash 30103	5'-7" 1,7 m	13'-1" x 14'-1" x 5'-3" 4 x 4,3 x 1,6 m	1 x electric pump	267 lbs 121 kg	6	990 lbs 450 kg
 SafetyBuoys (3 pcs.) 30039	–	14'-9" x 0'-10" x 0'-10" 4,5 x 0,25 x 0,25 m per buoy	–	10 lbs 4,5 kg per buoy	–	–
 Slider* 30043	8'-2" 2,5 m	9'-10" x 3'-3" x 3'-3" 3 x 1 x 1 m	–	42 lbs 19 kg	2	330 lbs 150 kg
 Spinner* 30045	6'-7" 2,0 m	11'-10" x 11'-10" x 6'-7" 3,6 x 3,6 x 2 m	1 x bungee 1 x hand pump	132 lbs 60 kg	4	880 lbs 400 kg
 SUP generic* 30090	–	10'-3" x 2'-7" x 0'-12" 3,12 x 0,78 x 0,3 m	1 x paddle 1 x hand pump	33 lbs 15 kg	1	290 lbs 130 kg
 Target Cube* 30048	–	6'-7" x 6'-7" x 6'-7" 2 x 2 x 2 m	4 x ball 1 x hand & ball pump	86 lbs 39 kg	–	–
 Volley 30055	–	37'-1" x 17'-5" x 5'-3" 11,3 x 5,3 x 1,6 m	1 x volleyball 1 x electric & ball pump	99 lbs 45 kg	–	–
 WibitBoat 30111	–	9'-10" x 4'-11" x 2' 3 x 1,5 x 0,6 m	2 x oar 1 x hand pump	95 lbs 43 kg	3	880 lbs 400 kg
 Wibit Hand* 30057	3'-11" 1,2 m	11'-6" x 12'-2" x 0'-4" 3,5 x 3,7 x 0,1 m	1 x hand pump	71 lbs 32 kg	4	660 lbs 300 kg
 Wiggle Bridge Start Blocks NM*** (2 pcs.) 30061	3'-11" 1,2 m	6'-7" x 4'-11" x 0'-4" 2 x 1,5 x 0,1 m per block	–	82 lbs 37 kg per block	2 per block	220 lbs 110 kg per block


*subject to availability
**non modular



For kids
aged 4+

KidsCourse

No				
item no.	min. water depth	dimensions l x w x h	user capacity	includes
31048	4'-5" 1,35 m	52'-6" x 31'-2" x 12'-2" 16 x 9,5 x 3,7 m	20 - 25	Accessories kit basic, KidsScale





KidsRun

No				
item no.	min. water depth	dimensions l x w x h	user capacity	includes
31046	4'-5" 1,35 m	27'-11" x 9'-10" x 3'-3" 8,5 x 3 x 1 m	7	KidsScale





KidsTrack

No				
item no.	min. water depth	dimensions l x w x h	user capacity	includes
31047	4'-5" 1,35 m	60'-8" x 14'-9" x 3'-3" 18,5 x 4,5 x 1 m	18	Accessories kit basic, KidsScale




Kids products

Wibit Kids products are half the width of standard Wibit products. Kids products can be connected to a normal Wibit SportsPark using the Connector product.

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max.load capacity
	Balance 33009	3'-11" 1,2 m	12'-6" x 3'-11" x 0'-8" 3,8 x 1,2 x 0,2 m	-	42 lbs 19 kg	2	220 lbs 100 kg
	Bench 33007	4'-5" 1,35 m	12'-6" x 5'-11" x 2'-7" 3,8 x 1,8 x 0,8 m	-	88 lbs 40 kg	3	440 lbs 200 kg
	Base kids 33012	3'-11" 1,2 m	6'-7" x 3'-6" x 0'-8" 2 x 1,06 x 0,2 m	-	31 lbs 14 kg	2	220 lbs 100 kg
	Base SUS kids 33013	3'-11" 1,2 m	6'-7" x 5'-8" x 0'-8" 2 x 1,73 x 0,2 m	-	46 lbs 21 kg	2	220 lbs 100 kg
	Center 33003	3'-11" 1,2 m	10'-6" x 9'-10" x 12'-2" 3,2 x 3 x 3,7 m	-	139 lbs 63 kg	2	220 lbs 100 kg
	Cone 33010	3'-11" 1,2 m	12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m	-	121 lbs 55 kg	3	330 lbs 150 kg
	Connector 33014	3'-11" 1,2 m	9'-10" x 6'-7" x 1' 3 x 2 x 0,3 m	-	62 lbs 28 kg	3	330 lbs 150 kg
	CrossOver 33001	4'-5" 1,35 m	12'-6" x 3'-7" x 2'-7" 3,8 x 1,1 x 0,8 m	-	71 lbs 32 kg	3	330 lbs 150 kg
	Downhill 33005	4'-5" 1,35 m	12'-6" x 9'-4" x 3'-3" 3,8 x 2,85 x 1 m	-	137 lbs 62 kg	3	330 lbs 150 kg

All kids products are equipped with connector straps, safety flaps kids and transport bags

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max.load capacity
	Slip 33004	4'-5" 1,35 m	12'-6" x 8'-10" x 3'-3" 3,8 x 2,7 x 1 m	-	137 lbs 62 kg	4	440 lbs 200 kg
	Spiral 33002	4'-5" 1,35 m	12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m	-	115 lbs 52 kg	3	330 lbs 150 kg
	Step kids 33015	3'-11" 1,2 m	3'-3" x 2'-4" x 0'-8" 1 x 0,7 x 0,2 m	-	13 lbs 6 kg	1	110 lbs 50 kg
	TakeOff kids 33011	3'-11" 1,2 m	3'-3" x 2' x 0'-8" 1 x 0,6 x 0,2 m	-	13 lbs 6 kg	1	110 lbs 50 kg
	T-Connect SUS kids 33017	3'-11" 1,2 m	6'-7" x 5'-3" x 0'-8" 2 x 1,6 x 0,2 m	-	36 lbs 16 kg	2	220 lbs 100 kg
	Y-Connect SUS kids 33016	3'-11" 1,2 m	9'-2" x 5'-11" x 0'-8" 2,8 x 1,8 x 0,2 m	-	55 lbs 25 kg	3	330 lbs 150 kg

· Sales according to our terms of trading
· Prices and specifications subject to change without notice



Let's talk!

+49 (0) 2871 23820-0 | ✉ sales@wibitsports.com
Wibit Sports GmbH | Am Gut Baarking 15 | 46395 Bocholt, Germany



www.wibitsports.com