



COMMERCIAL POOL **PRODUCT LIST**

FROM THE WORLD'S
LEADING FLOATING
WATER PARK BRAND

Valid from November 1st 2023



Choosing the right size & style pool combination

We've developed a few categories that help you easily select the best combination for your pool:

Unlimited individual layout alternatives possible!

AquaDuel

Low budget

FastTrack 3

Individual combination

Shallow water

Animation

SpeedTrack

BalanceTrack

AquaTrack

WiggleTrack

Kids aged 4+

High capacity

KidsCourse

Individual combination

AquaTrack


No			
item no.	min. water depth	dimensions l x w x h	user capacity
31051	5'-5" 1,65 m	55'-9" x 6'-7" x 4'-11" 17 x 2 x 1,5 m	20



AquaDuel

No			
item no.	min. water depth	dimensions l x w x h	user capacity
31050	5'-5" 1,65 m	36'-1" x 6'-7" x 4'-11" 11 x 2 x 1,5 m	10





Upgrade
your FastTrack with
additional WiggleDiscs
for a bigger challenge
and more fun!


FastTrack 3

No			
item no.	min. water depth	dimensions l x w x h	user capacity
31044	3'-11" 1,2 m	50'-10" x 8'-2" x 1' 15,5 x 2,5 x 0,3 m	13



FitnessTrack*

No			
item no.	min. water depth	dimensions l x w x h	user capacity
31057	5'-5" 1,65 m	55'-9" x 7'-7" x 4'-11" 17 x 2,3 x 1,5 m	14



WiggleTrack

No			
item no.	min. water depth	dimensions l x w x h	user capacity
31039	3'-11" 1,2 m	41' x 6'-7" x 1' 12,5 x 2 x 0,3 m	14



Upgrade your WiggleTrack with additional WiggleDiscs for a bigger challenge and more fun!



RodeoSplash

No			
item no.	min. water depth	dimensions l x w x h	user capacity
30103	5'-7" 1,7 m	13'-1" x 14'-9" x 5'-3" 4 x 4,5 x 1,6 m	6





NEW!

BalanceTrack

No

item no.

min. water depth


5'-9"
1,75 m

dimensions
l x w x h

45'-11" x 9'-10" x
5'-7"
14 x 3 x 1,7 m

user capacity

14



NEW!

SpeedTrack

No

item no.

min. water depth

5'-9"
1,75 m

dimensions
l x w x h

45'-11" x 7'-3" x
5'-7"
14 x 2,2 x 1,7 m



user capacity

13








Modular products



The Wibit modular system enables products to be interconnected to form different shapes, sizes and styles of playgrounds on the water.


	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	ActionTower XL 30000	6'-2" 1,9 m	14'-9" x 12'-10" x 6'-7" 4,5 x 3,9 x 2 m	4 x bungee	240 lbs 109 kg	4	660 lbs 300 kg
	ActionTower XXL 30001	7'-10" 2,4 m	29'-10" x 24'-11" x 9'-10" 9,1 x 7,6 x 3 m	4 x bungee	672 lbs 305 kg	8	1320 lbs 600 kg
	BalanceBar L 30180	4' 1" 1,25 m	19'-8" x 6'-7" x 2'-4" 6 x 2 x 0,7 m	–	159 lbs 72 kg	5	770 lbs 350 kg
	BalanceBar S 30181	3'-11" 1,2 m	9'-10" x 6'-7" x 1'-12" 3 x 2 x 0,6 m	–	84 lbs 38 kg	3	550 lbs 250 kg
	BalanceBeam 30002	3'-11" 1,2 m	19'-8" x 6'-7" x 1' 6 x 2 x 0,3 m	–	95 lbs 43 kg	4	660 lbs 300 kg
	Base 30003	3'-11" 1,2 m	9'-10" x 6'-7" x 1' 3 x 2 x 0,3 m	–	79 lbs 36 kg	4	660 lbs 300 kg
	Base SUS 30131	3'-11" 1,2 m	9'-10" x 9'-6" x 1' 3 x 2,9 x 0,3 m	–	106 lbs 48 kg	4	660 lbs 300 kg
	Bend 30157	3'-11" 1,2 m	18'-1" x 18'-1" x 1' 5,5 x 5,5 x 0,3 m	1 x bungee	110 lbs 50 kg	3	440 lbs 200 kg
	Bridge 30013	4'-11" 1,5 m	9'-10" x 6'-7" x 3'-11" 3 x 2 x 1,2 m	–	77 lbs 35 kg	4	660 lbs 300 kg
	Cliff 30014	5'-6" 1,65 m	9'-10" x 6'-7" x 4'-11" 3 x 2 x 1,5 m	–	115 lbs 52 kg	4	660 lbs 300 kg

All modular products are equipped with connector straps, safety flaps & transport bags




	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Curve 30016	4'-11" 1,5 m	18'-1" x 18'-1" x 3'-7" 5,5 x 5,5 x 1,1 m	1 x bungee	254 lbs 115 kg	6	880 lbs 400 kg
	Deck 3 30147	5'-7" 1,7 m	8'-6" x 9'-10" x 5'-3" 2,6 x 3 x 1,6 m	1 x bungee	132 lbs 60 kg	4	660 lbs 300 kg
	DipBars 30156	5'-3" 1,6 m	9'-10" x 6'-7" x 4'-3" 3 x 2 x 1,3 m	–	100 lbs 45 kg	2	330 lbs 150 kg
	Dome 30078	5'-11" 1,8 m	19'-8" x 9'-10" x 4'-3" 6 x 3 x 1,3 m	1 x bungee	229 lbs 104 kg	2	440 lbs 200 kg
	Flip 30019	6'-7" 2,0 m	19' x 6'-7" x 3'-7" 5,8 x 2 x 1,1 m	1 x bungee	165 lbs 75 kg	2	330 lbs 150 kg
	GuardTower 30074	6'-3" 1,9 m	19'-8" x 9'-10" x 13'-1" 6 x 3 x 4 m	3 x bungee	392 lbs 178 kg	3	660 lbs 300 kg
	Halfpipe* 30101	4'-11" 1,5 m	9'-10" x 13'-1" x 3'-11" 3 x 4 x 1,2 m	2 x bungee	198 lbs 90 kg	6	880 lbs 400 kg
	HighRoller 30073	5'-7" 1,7 m	29'-6" x 8'-10" x 5'-3" 9 x 2,7 x 1,6 m	2 x bungee	273 lbs 124 kg	4	660 lbs 300 kg
	Hop 30159	4'-7" 1,4 m	9'-10" x 6'-7" x 3'-3" 3 x 2 x 1 m	–	66 lbs 30 kg	2	330 lbs 150 kg
	Hurdle 30079	3'-11" 1,2 m	19'-8" x 8'-2" x 1' 6 x 2,5 x 0,3 m	–	70 lbs 32 kg	3	440 lbs 200 kg
	Junction 30025	3'-11" 1,2 m	9'-10" x 9'-10" x 1' 3 x 3 x 0,3 m	1 x bungee	115 lbs 52 kg	4	660 lbs 300 kg


All modular products are equipped with connector straps, safety flaps & transport bags

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	L-Connect* 30107	3'-11" 1,2 m	18'-1" x 13'-1" x 1' 5,5 x 4 x 0,3 m	1 x bungee	159 lbs 72 kg	6	880 lbs 400 kg
	L-Connect SUS 30135	3'-11" 1,2 m	18'-1" x 14'-5" x 1' 5,5 x 4,4 x 0,3 m	1 x bungee	179 lbs 81 kg	6	880 lbs 400 kg
	Ledge* 30130	7'-6" 2,3 m	14'-9" x 12'-10" x 8'-10" 4,5 x 3,9 x 2,7 m	2 x bungee	265 lbs 120 kg	4	660 lbs 300 kg
	Logroll 30175	4'-3" 1,3 m	19'-8" x 6'-7" x 2'-6" 6 x 2 x 0,75 m	–	99 lbs 45 kg	3	660 lbs 300 kg
	MonkeyBars 30072	5'-7" 1,7 m	19'-8" x 13'-1" x 6'-11" 6 x 4 x 2,1 m	2 x bungee	381 lbs 173 kg	4	660 lbs 300 kg
	Mountain 30168	9'-10" 3 m	44'-11" x 29'-10" x 13'-2" 13,7 x 9,1 x 4 m	8 x bungee	1870 lbs 848 kg	12	1984 lbs 900 kg
	Peak 30129	7'-3" 2,2 m	19'-8" x 10'-6" x 8'-6" 6 x 3,2 x 2,6 m	2 x bungee	280 lbs 127 kg	4	660 lbs 300 kg
	Plank 30129	4'-11" 1,5 m	19'-8" x 6'-7" x 3'-11" 6 x 2 x 1,19 m	–	181 lbs 82 kg	3	660 lbs 300 kg
	Quarterpipe 30100	5'-3" 1,6 m	19'-8" x 8'-10" x 4'-7" 6 x 2,7 x 1,4 m	2 x bungee	267 lbs 121 kg	6	880 lbs 400 kg
	QuickJump 30178	4'-3" 1,3 m	9'-10" x 6'-7" x 2'-3" 3 x 2 x 0,8 m	–	97 lbs 44 kg	3	550 lbs 250 kg
	R-Connect* 30108	3'-11" 1,2 m	18'-1" x 13'-1" x 1' 5,5 x 4 x 0,3 m	1 x bungee	159 lbs 72 kg	6	880 lbs 400 kg
	R-Connect SUS 30136	3'-11" 1,2 m	18'-1" x 14'-5" x 1' 5,5 x 4,4 x 0,3 m	1 x bungee	179 lbs 81 kg	6	880 lbs 400 kg

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Rock* 30123	7'-10" 2,4 m	22'-4" x 19'-8" x 10'-2" 6,8 x 6 x 3,1 m	4 x bungee	608 lbs 276 kg	6	990 lbs 450 kg
	Roller* 30036	8'-2" 2,5 m	20' x 2'-7" x 2'-7" 6,1 x 0,8 x 0,8 m	–	51 lbs 23 kg	2	–
	Roundabout 30087	4'-11" 1,5 m	19'-8" x 19'-8" x 3'-11" 6 x 6 x 1,2 m	1 x bungee	348 lbs 158 kg	6	880 lbs 400 kg
	SideKick 30040	3'-11" 1,2 m	8'-2" x 8'-2" x 1' 2,5 x 2,5 x 0,3 m	1 x bungee	51 lbs 23 kg	4	660 lbs 300 kg
	Sidewalk 30109	3'-11" 1,2 m	29'-6" x 9'-10" x 1' 9 x 3 x 0,3 m	2 x bungee	229 lbs 104 kg	12	1990 lbs 900 kg
	Slide 30042	4'-11" 1,5 m	9'-10" x 6'-7" x 3'-7" 3 x 2 x 1,1 m	–	93 lbs 42 kg	4	660 lbs 300 kg
	Slope 30044	5'-6" 1,65 m	9'-10" x 6'-7" x 4'-11" 3 x 2 x 1,5 m	2 x bungee	106 lbs 48 kg	4	660 lbs 300 kg
	Spin 30158	4'-7" 1,4 m	19'-8" x 13'-1" x 13'-1" 6 x 4 x 4 m	2 x bungee	302 lbs 137 kg	4	660 lbs 300 kg
	Springboard 30120	8'-2" 2,5 m	19'-8" x 19'-8" x 10'-6" 6 x 6 x 3,2 m	3 x bungee	703 lbs 319 kg	8	1320 lbs 600 kg
	Start Gate* 30071	3'-11" 1,2 m	19'-8" x 9'-2" x 9'-6" 6 x 2,8 x 2,9 m	2 x bungee	262 lbs 119 kg	4	660 lbs 300 kg
	StartGate SUS 30132	3'-11" 1,2 m	19'-8" x 10'-6" x 10'-2" 6 x 3,2 x 3,1 m	2 x bungee	269 lbs 122 kg	8	1764 lbs 800 kg
	Step 30104	3'-11" 1,2 m	6'-7" x 6'-7" x 1' 2 x 2 x 0,3 m	–	73 lbs 33 kg	2	330 lbs 150 kg

All modular products are equipped with connector straps, safety flaps & transport bags

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Step 6 30110	3'-11" 1,2 m	20'-8" x 9'-10" x 1' 6,3 x 3 x 0,3 m	2 x bungee	183 lbs 83 kg	6	1320 lbs 600 kg
	SUP Dock* 30082	3'-11" 1,2 m	14'-9" x 13'-1" x 1' 4,5 x 4 x 0,3 m	1 x bungee	143 lbs 65 kg	6	880 lbs 400 kg
	Sun Shade* 30083	3'-11" 1,2 m	9'-10" x 11'-10" x 10'-2" 3 x 3,6 x 3,1 m	1 x bungee	168 lbs 76 kg	4	660 lbs 300 kg
	Swing 30047	5'-11" 1,8 m	19'-8" x 6'-7" x 10'-6" 6 x 2 x 3,2 m	–	207 lbs 94 kg	4	660 lbs 300 kg
	TakeOff 30142	3'-11" 1,2 m	6'-7" x 4'-11" x 1' 2 x 1,5 x 0,3 m	–	40 lbs 18 kg	2	330 lbs 150 kg
	Target 30121	3'-11" 1,2 m	19'-8" x 17'-9" x 1' 6 x 5,4 x 0,3 m	1 x bungee	152 lbs 69 kg	4	660 lbs 300 kg
	TargetJump 30179	5'-9" 1,75 m	9'-10" x 7'-3" x 5'-7" 3 x 2,2 x 1,7 m	–	97 lbs 44 kg	3	550 lbs 250 kg
	T-Connect 30075	3'-11" 1,2 m	9'-10" x 8'-2" x 1' 3 x 2,5 x 0,3 m	1 x bungee	110 lbs 50 kg	4	660 lbs 300 kg
	T-Connect SUS 30134	3'-11" 1,2 m	9'-10" x 9'-10" x 1' 3 x 3 x 0,3 m	1 x bungee	110 lbs 50 kg	4	660 lbs 300 kg
	Trampoline 2 30050 incl. hardware	8'-2" 2,5 m	19'-8" x 16'-5" x 2'-11" 6 x 5 x 0,9 m	1 x bungee 1 x ladder	452 lbs 205 kg	3	660 lbs 300 kg
	Trampoline 4 30080 incl. hardware	8'-2" 2,5 m	19'-8" x 19'-8" x 2'-11" 6 x 6 x 0,9 m	1 x bungee 1 x ladder	514 lbs 233 kg	3	660 lbs 300 kg
	Triplejump 30174	4'-7" 1,4 m	9'-10" x 6'-7" x 3'-3" 3 x 2 x 1 m	–	90 lbs 41 kg	3	660 lbs 300 kg


	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Turn* 30122	3'-11" 1,2 m	18'-1" x 18'-1" x 1' 5,5 x 5,5 x 0,3 m	1 x bungee	205 lbs 93 kg	6	880 lbs 400 kg
	Turn SUS 30137	3'-11" 1,2 m	18'-1" x 18'-1" x 1' 5,5 x 5,5 x 0,3 m	1 x bungee	207 lbs 94 kg	6	880 lbs 400 kg
	Twist 30128	3'-11" 1,2 m	19'-8" x 7'-7" x 2' 6 x 2,3 x 0,6 m	–	126 lbs 57 kg	4	660 lbs 300 kg
	V-Connect 30105	3'-11" 1,2 m	9'-10" x 6'-7" x 1' 3 x 2 x 0,3 m	–	51 lbs 23 kg	2	440 lbs 200 kg
	WiggleBridge StartBlocks (2 pcs.) 30062	3'-11" 1,2 m	6'-7" x 4'-11" x 1' 2 x 1,5 x 0,3 m per block	–	37 lbs 17 kg per block	2 per block	330 lbs 150 kg per block
	WiggleDiscs (3 pcs.) 30060	3'-11" 1,2 m	3'-3" x 3'-3" x 0'-6" 1 x 1 x 0,14 m per disc	4 x Wiggle connector strap with carabiner	13 lbs 6 kg per disc	1 per disc	220 lbs 100 kg per disc
	Y-Connect 30076	3'-11" 1,2 m	10'-2" x 10'-2" x 1' 3,1 x 3,1 x 0,3 m	1 x bungee	93 lbs 42 kg	4	660 lbs 300 kg
	ZigZag 30182	4'-3" 1,3 m	19'-8" x 9'-10" x 2'-3" 6 x 3 x 0,8 m	–	134 lbs 61 kg	6	880 lbs 400 kg

*Subject to availability
· Sales according to our terms of trading
· Prices and specifications subject to change without notice

Standalone products

Standalone products cannot be connected to other products. They are usually positioned next to our SportsParks as an add-on. This increases the dimensions of the SportsPark area.

						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 BeachCocoon* 30164	–	9'-10" x 9'-2" x 7'-5" 3 x 2,8 x 2,25 m	–	60 lbs 27 kg	–	–
 BeachTent 30070	–	9'-2" x 6'-11" x 8'-2" 2,8 x 2,1 x 2,5 m	–	66 lbs 30 kg	–	–
 Billboard* 30004	–	15'-9" x 3'-11" x 3'-3" 4,8 x 1,2 x 1 m	–	75 lbs 34 kg	–	–
 Bouncer XXL 30008 incl. hardware	8'-2" 2,5 m	18'-4" x 18'-4" x 2'-11" 5,6 x 5,6 x 0,9 m	1 x bungee 1 x electric pump 1 x ladder	150 lbs 68 kg	3	660 lbs 300 kg
 DoubleRocker* 30018	4'-11" 1,5 m	10'-2" x 7'-4" x 4' 3,1 x 2,25 x 1,2 m	1 x bungee	117 lbs 53 kg	8	1320 lbs 600 kg
 Guard Board* 30085	–	7'-3" x 3'-3" x 11" 2,2 x 1 x 0,3 m	1 x paddle 1 x hand pump	37 lbs 17 kg	2	440 lbs 200 kg
 IceTower XXL 30024	9'-11" 3,0 m	19'-8" x 15'-1" x 13'-9" 6 x 4,6 x 4,2 m	4 x bungee 1 x electric pump	412 lbs 187 kg	8	1320 lbs 600 kg
 PoloGoal 30032	–	8'-6" x 3'-11" x 3'-7" 2,6 x 1,2 x 1,1 m	1 x hand pump	31 lbs 14 kg	–	–

						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 Rock + Step* 30146	7'-10" 2,4 m	19'-8" x 28'-10" x 10'-2" 6 x 8,8 x 3,1 m	4 x bungee, 1x electric & 1x hand pump	666 lbs 302 kg	8	1320 lbs 600 kg
 RodeoSplash 30103	5'-7" 1,7 m	13'-1" x 14'-1" x 5'-3" 4 x 4,3 x 1,6 m	1 x electric pump	267 lbs 121 kg	6	990 lbs 450 kg
 SafetyBuoys (3 pcs.) 30039	–	14'-9" x 0'-10" x 0'-10" 4,5 x 0,25 x 0,25 m per buoy	–	10 lbs 4,5 kg per buoy	–	–
 Slider* 30043	8'-2" 2,5 m	9'-10" x 3'-3" x 3'-3" 3 x 1 x 1 m	–	42 lbs 19 kg	2	330 lbs 150 kg
 Spinner* 30045	6'-7" 2,0 m	11'-10" x 11'-10" x 6'-7" 3,6 x 3,6 x 2 m	1 x bungee 1 x hand pump	132 lbs 60 kg	4	880 lbs 400 kg
 Splasher* 30046	4'-11" 1,5 m	7'-7" x 8'-2" x 3'-11" 2,3 x 2,5 x 1,2 m	–	66 lbs 30 kg	1	–
 Target Cube* 30048	–	6'-7" x 6'-7" x 6'-7" 2 x 2 x 2 m	4 x ball 1 x hand & ball pump	86 lbs 39 kg	–	–
 Volley 30055	–	37'-1" x 17'-5" x 5'-3" 11,3 x 5,3 x 1,6 m	1 x electric pump	99 lbs 45 kg	–	–
 WibitBoat 30111	–	9'-10" x 4'-11" x 2' 3 x 1,5 x 0,6 m	2 x oar 1 x hand pump	95 lbs 43 kg	3	880 lbs 400 kg
 Wibit Hand* 30057	3'-11" 1,2 m	11'-6" x 12'-2" x 0'-4" 3,5 x 3,7 x 0,1 m	1 x hand pump	71 lbs 32 kg	4	660 lbs 300 kg
 Wiggle Bridge Start Blocks NM** (2 pcs.) 30061	3'-11" 1,2 m	6'-7" x 4'-11" x 0'-4" 2 x 1,5 x 0,1 m per block	–	82 lbs 37 kg per block	2 per block	220 lbs 110 kg


*Subject to availability **Non modular
· Sales according to our terms of trading
· Prices and specifications subject to change without notice



For kids
aged 4+

KidsCourse


No			
item no.	min. water depth	dimensions l x w x h	user capacity
31048	4'-5" 1,35 m	52'-6" x 31'-2" x 12'-2" 16 x 9,5 x 3,7 m	36






KidsRun

No			
item no.	min. water depth	dimensions l x w x h	user capacity
31046	4'-5" 1,35 m	27'-11" x 9'-10" x 3'-3" 8,5 x 3 x 1 m	7






KidsTrack

No			
item no.	min. water depth	dimensions l x w x h	user capacity
31047	4'-5" 1,35 m	60'-8" x 14'-9" x 3'-3" 18,5 x 4,5 x 1 m	18





Kids products

Wibit Kids products are half the width of standard Wibit products. Kids products can be connected to a normal Wibit SportsPark using the Connector product.

							
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max.load capacity
	Balance 33009	3'-11" 1,2 m	12'-6" x 3'-11" x 0'-8" 3,8 x 1,2 x 0,2 m	–	42 lbs 19 kg	2	220 lbs 100 kg
	Bench 33007	4'-5" 1,35 m	12'-6" x 5'-11" x 2'-7" 3,8 x 1,8 x 0,8 m	–	88 lbs 40 kg	3	440 lbs 200 kg
	Base kids 33012	3'-11" 1,2 m	6'-7" x 3'-3" x 0'-8" 2 x 1 x 0,2 m	–	31 lbs 14 kg	2	220 lbs 100 kg
	Base SUS kids 33013	3'-11" 1,2 m	6'-7" x 5'-7" x 0'-8" 2 x 1,7 x 0,2 m	–	46 lbs 21 kg	2	220 lbs 100 kg
	Center 33003	3'-11" 1,2 m	10'-6" x 10'-2" x 12'-2" 3,2 x 3,1 x 3,7 m	–	139 lbs 63 kg	2	220 lbs 100 kg
	Cone 33010	3'-11" 1,2 m	12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m	–	121 lbs 55 kg	3	330 lbs 150 kg
	Connector 33014	3'-11" 1,2 m	9'-10" x 6'-7" x 1' 3 x 2 x 0,3 m	–	62 lbs 28 kg	3	330 lbs 150 kg
	CrossOver 33001	4'-5" 1,35 m	12'-6" x 3'-7" x 2'-7" 3,8 x 1,1 x 0,8 m	–	71 lbs 32 kg	3	330 lbs 150 kg
	Downhill 33005	4'-5" 1,35 m	12'-6" x 9'-6" x 3'-3" 3,8 x 2,9 x 1 m	–	137 lbs 62 kg	3	330 lbs 150 kg

All kids products are equipped with connector straps, safety flaps kids & transport bags

							
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max.load capacity
	Slip 33004	4'-5" 1,35 m	12'-6" x 8'-10" x 3'-3" 3,8 x 2,7 x 1 m	–	137 lbs 62 kg	4	440 lbs 200 kg
	Spiral 33002	4'-5" 1,35 m	12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m	–	115 lbs 52 kg	3	330 lbs 150 kg
	Step kids 33015	3'-11" 1,2 m	3'-3" x 2'-4" x 0'-8" 1 x 0,7 x 0,2 m	–	13 lbs 6 kg	1	110 lbs 50 kg
	TakeOff kids 33011	3'-11" 1,2 m	3'-3" x 2' x 0'-8" 1 x 0,6 x 0,2 m	–	13 lbs 6 kg	1	110 lbs 50 kg
	T-Connect SUS kids 33017	3'-11" 1,2 m	6'-7" x 5'-3" x 0'-8" 2 x 1,6 x 0,2 m	–	36 lbs 16 kg	2	220 lbs 100 kg
	Y-Connect SUS kids 33016	3'-11" 1,2 m	9'-2" x 5'-11" x 0'-8" 2,8 x 1,8 x 0,2 m	–	55 lbs 25 kg	3	330 lbs 150 kg

· Sales according to our terms of trading
· Prices and specifications subject to change without notice



Let's talk!

+49 (0) 2871 23820-0 | contact@wibitsports.com
Wibit Sports GmbH | Am Gut Baarking 15 | 46395 Bocholt, Germany



www.wibitsports.com