



OPEN WATER PRODUCT LIST

FROM THE WORLD'S
LEADING FLOATING
WATER PARK BRAND

Valid from October 7, 2024






















Modular products












All modular products are equipped with connector straps, safety flaps & transport bags

The Wubit modular system enables products to be interconnected to form different shapes, sizes and styles of playgrounds on the water.

						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 ActionTower XL 30000	6'2" 1,9 m	14'9" x 12'10" x 6'7" 4,5 x 3,9 x 2 m	4 x bungee	109 kg	4	300 kg
 ActionTower XXL 30001	7'10" 2,4 m	29'10" x 24'11" x 9'10" 9,1 x 7,6 x 3 m	4 x bungee	305 kg	8	600 kg
 BalanceBar L 30180	4'1" 1,25 m	19'8" x 6'7" x 2'4" 6 x 2 x 0,7 m	-	72 kg	5	350 kg
 BalanceBar S 30181	3'11" 1,2 m	9'10" x 6'7" x 1'12" 3 x 2 x 0,6 m	-	38 kg	3	250 kg
 BalanceBeam 30002	3'11" 1,2 m	19'8" x 6'7" x 12" 6 x 2 x 0,3 m	-	43 kg	4	300 kg
 Base 30003	3'11" 1,2 m	9'10" x 6'7" x 12" 3 x 2 x 0,3 m	-	36 kg	4	300 kg
 Base SUS 30131	3'11" 1,2 m	9'10" x 9'6" x 12" 3 x 2,9 x 0,3 m	-	48 kg	4	300 kg
 Bend 30157	3'11" 1,2 m	18'1" x 18'1" x 12" 5,5 x 5,5 x 0,3 m	1 x bungee	50 kg	3	200 kg
 Bridge 30013	4'11" 1,5 m	9'10" x 6'7" x 3'11" 3 x 2 x 1,2 m	-	35 kg	4	300 kg
 Cliff 30014	5'6" 1,65 m	9'10" x 6'7" x 4'11" 3 x 2 x 1,5 m	-	52 kg	4	300 kg













						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 CornerSwing 30191	6'9" 2,05 m	18'1" x 18'1" x 14'9" 5,5 x 5,5 x 4,5 m	4 x bungee	690 lbs 313 kg	10	1540 lbs 700 kg
 Curve 30016	4'11" 1,5 m	18'1" x 18'1" x 3'7" 5,5 x 5,5 x 1,1 m	1 x bungee	254 lbs 115 kg	6	880 lbs 400 kg
 Deck 3 30147	5'7" 1,7 m	8'6" x 9'10" x 5'3" 2,6 x 3 x 1,6 m	1 x bungee	132 lbs 60 kg	4	660 lbs 300 kg
 DipBars 30156	5'3" 1,6 m	9'10" x 6'7" x 4'3" 3 x 2 x 1,3 m	-	100 lbs 45 kg	2	330 lbs 150 kg
 DopbleCurve 30190	4'5" 1,35 m	19'8" x 19'8" x 2'9" 6 x 6 x 0,85 m	1 x bungee	269 lbs 122 kg	6	880 lbs 400 kg
 Dome 30078	5'11" 1,8 m	19'8" x 9'10" x 4'3" 6 x 3 x 1,3 m	1 x bungee	229 lbs 104 kg	2	440 lbs 200 kg
 Flip 30019	6'7" 2 m	19' x 6'7" x 3'7" 5,8 x 2 x 1,1 m	1 x bungee	165 lbs 75 kg	2	330 lbs 150 kg
 GuardTower 30074	6'3" 1,9 m	19'8" x 9'10" x 13'1" 6 x 3 x 4 m	3 x bungee	392 lbs 178 kg	3	660 lbs 300 kg
 Halfpipe* 30101	4'11" 1,5 m	9'10" x 13'1" x 3'11" 3 x 4 x 1,2 m	2 x bungee	198 lbs 90 kg	6	880 lbs 400 kg
 HighBars 30188	6'11" 2,1 m	9'10" x 10'6" x 7'10" 3 x 3,2 x 2,4 m	-	176 lbs 80 kg	3	440 lbs 200 kg
 HighRoller 30073	5'7" 1,7 m	29'6" x 8'10" x 5'3" 9 x 2,7 x 1,6 m	2 x bungee	273 lbs 124 kg	4	660 lbs 300 kg
 Hop 30159	4'7" 1,4 m	9'10" x 6'7" x 3'3" 3 x 2 x 1 m	-	66 lbs 30 kg	2	330 lbs 150 kg












All modular products are equipped with connector straps, safety flaps & transport bags

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Hurdle 30079	3'11" 1,2 m	19'8" x 8'2" x 12" 6 x 2,5 x 0,3 m	-	70 lbs 32 kg	3	440 lbs 200 kg
	Junction 30025	3'11" 1,2 m	9'10" x 9'10" x 12" 3 x 3 x 0,3 m	1 x bungee	115 lbs 52 kg	4	660 lbs 300 kg
	L-Connect* 30107	3'11" 1,2 m	18'1" x 13'1" x 12" 5,5 x 4 x 0,3 m	1 x bungee	159 lbs 72 kg	6	880 lbs 400 kg
	L-Connect SUS 30135	3'11" 1,2 m	18'1" x 14'5" x 12" 5,5 x 4,4 x 0,3 m	1 x bungee	179 lbs 81 kg	6	880 lbs 400 kg
	Ledge* 30130	7'6" 2,3 m	14'9" x 12'10" x 8'10" 4,5 x 3,9 x 2,7 m	2 x bungee	265 lbs 120 kg	4	660 lbs 300 kg
	Level-Connect 30192	7'1" 2,15 m	14'5" x 18'1" x 8'2" 4,4 x 5,5 x 2,5 m	3 x bungee	344 lbs 156 kg	6	880 lbs 400 kg
	Logroll 30175	4'3" 1,3 m	19'8" x 6'7" x 2'6" 6 x 2 x 0,75 m	-	99 lbs 45 kg	3	660 lbs 300 kg
	MatchBall 30189	4'1" 1,25 m	19'8" x 13'1" x 10'6" 6 x 4 x 3,2 m	-	335 lbs 152 kg	6	800 lbs 400 kg
	MonkeyBars 30072	5'7" 1,7 m	19'8" x 13'1" x 6'11" 6 x 4 x 2,1 m	2 x bungee	381 lbs 173 kg	4	660 lbs 300 kg
	Mountain 30168	9'10" 3 m	44'11" x 29'10" x 13'2" 13,7 x 9,1 x 4 m	8 x bungee	1870 lbs 848 kg	12	1984 lbs 900 kg
	ParcouR-Connect 30193	6'9" 2,05 m	18'1" x 14'5" x 7'7" 5,5 x 4,4 x 2,3 m	3 x bungee	337 lbs 153 kg	6	880 lbs 400 kg

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Peak 30129	7'3" 2,2 m	19'8" x 10'6" x 8'6" 6 x 3,2 x 2,6 m	2 x bungee	280 lbs 127 kg	4	660 lbs 300 kg
	Plank 30129	4'11" 1,5 m	19'8" x 6'7" x 3'11" 6 x 2 x 1,19 m	-	181 lbs 82 kg	3	660 lbs 300 kg
	Quarterpipe 30100	5'3" 1,6 m	19'8" x 8'10" x 4'7" 6 x 2,7 x 1,4 m	2 x bungee	267 lbs 121 kg	6	880 lbs 400 kg
	QuickJump 30178	4'3" 1,3 m	9'10" x 6'7" x 2'3" 3 x 2 x 0,8 m	-	97 lbs 44 kg	3	550 lbs 250 kg
	R-Connect* 30108	3'11" 1,2 m	18'1" x 13'1" x 12" 5,5 x 4 x 0,3 m	1 x bungee	159 lbs 72 kg	6	880 lbs 400 kg
	R-Connect SUS 30136	3'11" 1,2 m	18'1" x 13'1" x 12" 5,5 x 4,4 x 0,3 m	1 x bungee	81 kg	6	400 kg
	Rock* 30123	7'10" 2,4 m	22'4" x 19'8" x 10'2" 6,8 x 6 x 3,1 m	4 x bungee	276 kg	6	450 kg
	Roller* 30036	8'2" 2,5 m	20' x 2'7" x 2'7" 6,1 x 0,8 x 0,8 m	-	23 kg	2	-
	Roundabout 30087	4'11" 1,5 m	19'8" x 19'8" x 3'11" 6 x 6 x 1,2 m	1 x bungee	158 kg	6	400 kg
	SideKick 30040	3'11" 1,2 m	2,5 x 2,5 x 0,3 m	1 x bungee	23 kg	4	300 kg
	Sidewalk 30109	3'11" 1,2 m	29'6" x 9'10" x 12" 9 x 3 x 0,3 m	2 x bungee	104 kg	12	900 kg
	Slide 30042	4'11" 1,5 m	9'10" x 6'7" x 3'7" 3 x 2 x 1,1 m	-	42 kg	4	300 kg
	Slope 30044	5'6" 1,65 m	9'10" x 6'7" x 4'11" 3 x 2 x 1,5 m	2 x bungee	48 kg	4	300 kg
	Spin 30158	4'7" 1,4 m	19'8" x 4'6" x 6'4" 6 x 4 x 4 m	2 x bungee	137 kg	4	300 kg

All modular products are equipped with connector straps, safety flaps & transport bags

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Springboard 30120	8'2" 2,5 m	19'8" x 19'8" x 10'6" 6 x 6 x 3,2 m	3 x bungee	319 kg	8	600 kg
	Start Gate* 30071	3'11" 1,2 m	19'8" x 9'2" x 9'6" 6 x 2,8 x 2,9 m	2 x bungee	119 kg	4	300 kg
	Start Gate SUS 30132	3'11" 1,2 m	19'8" x 10'6" x 10'2" 6 x 3,2 x 3,1 m	2 x bungee	122 kg	8	800 kg
	Step 30104	3'11" 1,2 m	6'7" x 6'7" x 12" 2 x 2 x 0,3 m	-	33 kg	2	150 kg
	Step 6 30110	3'11" 1,2 m	20'8" x 9'10" x 12" 6,3 x 3 x 0,3 m	2 x bungee	183 lbs 83 kg	6	1320 lbs 600 kg
	SUP Dock* 30082	3'11" 1,2 m	14'9" x 13'1" x 12" 4,5 x 4 x 0,3 m	1 x bungee	143 lbs 65 kg	6	880 lbs 400 kg
	Sun Shade* 30083	3'11" 1,2 m	9'10" x 11'10" x 10'2" 3 x 3,6 x 3,1 m	1 x bungee	168 lbs 76 kg	4	660 lbs 300 kg
	Swing 30047	5'11" 1,8 m	19'8" x 6'7" x 10'6" 6 x 2 x 3,2 m	-	207 lbs 94 kg	4	660 lbs 300 kg
	TakeOff 30142	3'11" 1,2 m	6'7" x 4'11" x 12" 2 x 1,5 x 0,3 m	-	40 lbs 18 kg	2	330 lbs 150 kg
	Target 30121	3'11" 1,2 m	19'8" x 17'9" x 12" 6 x 5,4 x 0,3 m	1 x bungee	152 lbs 69 kg	4	660 lbs 300 kg
	TargetJump 30179	5'9" 1,75 m	9'10" x 7'3" x 5'7" 3 x 2,2 x 1,7 m	-	97 lbs 44 kg	3	550 lbs 250 kg
	T-Connect 30075	3'11" 1,2 m	9'10" x 8'2" x 12" 3 x 2,5 x 0,3 m	1 x bungee	110 lbs 50 kg	4	660 lbs 300 kg












	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	T-Connect SUS 30134	3'11" 1,2 m	9'10" x 9'10" x 12" 3 x 3 x 0,3 m	1 x bungee	110 lbs 50 kg	4	660 lbs 300 kg
	Trampoline 2 30050 incl. hardware	8'2" 2,5 m	19'8" x 16'5" x 2'11" 6 x 5 x 0,9 m	1 x bungee 1 x ladder	452 lbs 205 kg	3	660 lbs 300 kg
	Trampoline 4 30080 incl. hardware	8'2" 2,5 m	19'8" x 19'8" x 2'11" 6 x 6 x 0,9 m	1 x bungee 1 x ladder	514 lbs 233 kg	3	660 lbs 300 kg
	TripleJump 30174	4'-7" 1,4 m	9'-10" x 6'-7" x 3'-3" 3 x 2 x 1 m	-	90 lbs 41 kg	3	660 lbs 300 kg
	Turn* 30122	3'11" 1,2 m	18'1" x 18'1" x 12" 5,5 x 5,5 x 0,3 m	1 x bungee	93 kg	6	400 kg
	Turn SUS 30137	3'11" 1,2 m	18'1" x 18'1" x 12" 5,5 x 5,5 x 0,3 m	1 x bungee	94 kg	6	400 kg
	Twist 30128	3'11" 1,2 m	19'8" x 7'7" x 2' 6 x 2,3 x 0,6 m	-	126 lbs 57 kg	4	660 lbs 300 kg
	V-Connect 30105	3'11" 1,2 m	9'10" x 6'7" x 12" 3 x 2 x 0,3 m	-	51 lbs 23 kg	2	440 lbs 200 kg
	WiggleBoard 30187	4'1" 1,25 m	9'10" x 6'7" x 2'4" 3 x 2 x 0,7 m	-	86 lbs 39 kg	2	330 lbs 150 kg
	WiggleBridge StartBlocks (2 pcs.) 30062	3'11" 1,2 m	6'-7" x 4'-11" x 12" 2 x 1,5 x 0,3 m	-	37 lbs 17 kg	2	330 lbs 150 kg
	WiggleDiscs (3 pcs.) 30060	3'11" 1,2 m	3'3" x 3'3" x 4" 1 x 1 x 0,1 m	4 x Wiggle connector strap with carabiner	13 lbs 6 kg	1	220 lbs 100 kg
	Y-Connect 30076	3'11" 1,2 m	10'2" x 10'2" x 12" 3,1 x 3,1 x 0,3 m	1 x bungee	93 lbs 42 kg	4	660 lbs 300 kg
	ZigZag 30182	4'3" 1,3 m	19'8" x 9'10" x 2'3" 6 x 3 x 0,8 m	-	134 lbs 61 kg	6	880 lbs 400 kg

*Subject to availability
 · Sales according to our terms of trading · Prices and specifications subject to change without notice

Standalone products

Standalone products cannot be connected to other products. They are usually positioned next to our SportsParks as an add-on. This increases the dimensions of the SportsPark area.

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	BeachCocoon* 30164	-	9'10" x 9'2" x 7'5" 3 x 2,8 x 2,25 m	-	60 lbs 27kg	-	-
	BeachTent 30070	-	9'2" x 6'11" x 8'2" 2,8 x 2,1 x 2,5 m	-	66 lbs 30 kg	-	-
	Billboard* 30004	-	15'9" x 3'11" x 3'3" 4,8 x 1,2 x 1 m	-	75 lbs 34 kg	-	-
	Bouncer XXL 30008 incl. hardware	8'2" 2,5 m	18'4" x 18'4" x 2'11" 5,6 x 5,6 x 0,9 m	1 x bungee 1 x electric pump 1 x ladder	150 lbs 68 kg	3	660 lbs 300 kg
	DoubleRocker* 30018	4'11" 1,5 m	10'2" x 7'4" x 4' 3,1 x 2,25 x 1,2 m	1 x bungee	117 lbs 53 kg	8	1320 lbs 600 kg
	Guard Board* 30085	-	7'3" x 3'3" x 12" 2,2 x 1 x 0,3 m	1 x paddle 1 x hand pump	38 lbs 17 kg	2	440 lbs 200 kg
	IceTower XXL 30024	9'11" 3 m	19'8" x 15'1" x 13'9" 6 x 4,6 x 4,2 m	4 x bungee 1 x electric pump	412 lbs 187 kg	8	1320 lbs 600 kg
	PoloGoal 30032	-	8'6" x 3'11" x 3'7" 2,6 x 1,2 x 1,1 m	1 x hand pump	31 lbs 14 kg	-	-
	Rock + Step* 30146	7'10" 2,4 m	19'8" x 28'10" x 10'2" 6 x 8,8 x 3,1 m	4 x bungee, 1 x electric & 1 x hand pump	666 lbs 302 kg	8	1320 lbs 600 kg

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	RodeoSplash 30103	5'7" 1,7 m	13'1" x 14'1" x 5'3" 4 x 4,3 x 1,6 m	1 x electric pump	267 lbs 121 kg	6	990 lbs 450 kg
	SafetyBuoys (3 pcs.) 30039	-	14'9" x 0'10" x 0'10" 4,5 x 0,25 x 0,25 m per buoy	-	10 lbs 4,5 kg per buoy	-	-
	Slider* 30043	8'2" 2,5 m	9'10" x 3'3" x 3'3" 3 x 1 x 1 m	-	42 lbs 19 kg	2	330 lbs 150 kg
	Spinner* 30045	6'7" 2 m	11'10" x 11'10" x 6'7" 3,6 x 3,6 x 2 m	1 x bungee 1 x hand pump	132 lbs 60 kg	4	880 lbs 400 kg
	Splasher* 30046	4'11" 1,5 m	7'7" x 8'2" x 3'11" 2,3 x 2,5 x 1,2 m	-	66 lbs 30 kg	1	-
	Target Cube* 30048	-	6'-7" x 6'-7" x 6'-7" 2 x 2 x 2 m	4 x ball 1 x hand & ball pump	86 lbs 39 kg	-	-
	MultiClimb 30194	7'1" 2,15 m	24'7" x 19'8" x 8'2" 7,5 x 6 x 2,5 m	4 x bungee	672 lbs 305 kg	11	1870 lbs 850 kg
	Volley 30055	-	37'1" x 17'5" x 5'3" 11,3 x 5,3 x 1,6 m	1 x electric pump	99 lbs 45 kg	-	-
	WibitBoat 30111	-	9'10" x 4'11" x 2' 3 x 1,5 x 0,6 m	2 x oar 1 x hand pump	95 lbs 43 kg	3	880 lbs 400 kg
	Wibit Hand* 30057	3'11" 1,2 m	11'6" x 12'2" x 0'4" 3,5 x 3,7 x 0,1 m	1 x hand pump	71 lbs 32 kg	4	660 lbs 300 kg
	Wiggle Bridge Start Blocks NM** (2 pcs.) 30061	3'11" 1,2 m	6'7" x 4'11" x 0'4" 2 x 1,5 x 0,1 m per block	-	82 lbs 37 kg per block	2 per block	220 lbs 110 kg per block

*Subject to availability **Non modular
 · Sales according to our terms of trading
 · Prices and specifications subject to change without notice

Wibit WatchLine

Maximum Safety with unlimited fun: Choose from four different products to optimize your safety concept. All products are multifunctional and offer comfort, unlimited flexibility and versatile functionality.

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	WatchAround 30184	6'-1" 1,85 m	8'-2" x 8'-2" x 11'-2" 2,5 x 2,5 x 3,4 m	1 x pre-attached connector belt	192 lbs 87 kg	+2	440 lbs 200 kg
	WatchRaft 30185	4'-1" 1,25 m	14'-9" x 14'-9" x 8'-2" 4,5 x 4,5 x 2,5 m	-	370 lbs 168 kg	12	1980 lbs 900 kg
	WatchSpot 30183	5'-2" 1,6 m	12'-10" x 14'-9" x 11'-6" 3,9 x 4,5 x 3,5 m	1 x safety flap 2 x connector strap	276 lbs 125 kg	6	990 lbs 450 kg
	WatchTopper 30186	S: 5'-3" / M: 6'-7" / L: 7'-11" S: 1,6 m / M: 2 m / L: 2,4 m	9'-10" x 8'-2" x 11'-6" 3 x 2,5 x 3,5 m	4 x connector strap 2' 6" / 75 cm 1 x connector strap 4' 11" / 150 cm	119 lbs 54 kg	3	660 lbs 300 kg

· Sales according to our terms of trading
· Prices and specifications subject to change without notice



For kids
aged 4+



KidsCourse

No

item no.



min. water depth



dimensions
l x w x h



user capacity



includes


31048

4'-5"
1,35 m

52'-6" x 31'-2" x
12'-2"
16 x 9,5 x 3,7 m

36

KidsScale



KidsCircuit

No

item no.



min. water depth



dimensions
l x w x h



user capacity



includes


31049

4'-5"
1,35 m

49'-3" x 36'-1" x
12'-2"
15 x 11 x 3,7 m

40

KidsScale



Kids products

Wibit Kids products are half the width of standard Wibit products. Kids products can be connected to a normal Wibit SportsPark using the Connector product.

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max.load capacity
	Balance 33009	3'-11" 1,2 m	12'-6" x 3'-11" x 8" 3,8 x 1,2 x 0,2 m	-	42 lbs 19 kg	2	220 lbs 100 kg
	Bench 33007	4'-5" 1,35 m	12'-6" x 5'-11" x 2'-7" 3,8 x 1,8 x 0,8 m	-	88 lbs 40 kg	3	440 lbs 200 kg
	Base kids 33012	3'-11" 1,2 m	6'-7" x 3'-3" x 8" 2 x 1 x 0,2 m	-	31 lbs 14 kg	2	220 lbs 100 kg
	Base SUS kids 33013	3'-11" 1,2 m	6'-7" x 5'-7" x 8" 2 x 1,7 x 0,2 m	-	46 lbs 21 kg	2	220 lbs 100 kg
	Center 33003	3'-11" 1,2 m	10'-6" x 10'-2" x 12'-2" 3,2 x 3,1 x 3,7 m	-	139 lbs 63 kg	2	220 lbs 100 kg
	Cone 33010	3'-11" 1,2 m	12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m	-	121 lbs 55 kg	3	330 lbs 150 kg
	Connector 33014	3'-11" 1,2 m	9'-10" x 6'-7" x 12" 3 x 2 x 0,3 m	-	62 lbs 28 kg	3	330 lbs 150 kg
	CrossOver 33001	4'-5" 1,35 m	12'-6" x 3'-7" x 2'-7" 3,8 x 1,1 x 0,8 m	-	71 lbs 32 kg	3	330 lbs 150 kg
	Downhill 33005	4'-5" 1,35 m	12'-6" x 9'-6" x 3'-3" 3,8 x 2,9 x 1 m	-	137 lbs 62 kg	3	330 lbs 150 kg

All kids products are equipped with connector straps, safety flaps kids & transport bags

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max.load capacity
	Slip 33004	4'-5" 1,35 m	12'-6" x 8'-10" x 3'-3" 3,8 x 2,7 x 1 m	-	137 lbs 62 kg	4	440 lbs 200 kg
	Spiral 33002	4'-5" 1,35 m	12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m	-	115 lbs 52 kg	3	330 lbs 150 kg
	Step kids 33015	3'-11" 1,2 m	3'-3" x 2'-4" x 8" 1 x 0,7 x 0,2 m	-	13 lbs 6 kg	1	110 lbs 50 kg
	TakeOff kids 33011	3'-11" 1,2 m	3'-3" x 2' x 8" 1 x 0,6 x 0,2 m	-	13 lbs 6 kg	1	110 lbs 50 kg
	T-Connect SUS kids 33017	3'-11" 1,2 m	6'-7" x 5'-3" x 8" 2 x 1,6 x 0,2 m	-	35 lbs 16 kg	2	220 lbs 100 kg
	Y-Connect SUS kids 33016	3'-11" 1,2 m	9'-2" x 5'-11" x 8" 2,8 x 1,8 x 0,2 m	-	55 lbs 25 kg	3	330 lbs 150 kg

· Sales according to our terms of trading
· Prices and specifications subject to change without notice





Let's talk!

+49 (0) 2871 23820-0 | contact@wibitsports.com
Wibit Sports GmbH | Am Gut Baarking 15 | 46395 Bocholt, Germany



www.wibitsports.com