



COMMERCIAL POOL PRODUCT LIST

FROM THE WORLD'S
LEADING FLOATING
WATER PARK BRAND

Valid from September, 2025



Choosing the right size & style pool combination

Unlimited individual layout alternatives possible!

We've developed a few categories that help you easily select the best combination for your pool:

AquaDuel



Low budget

FastTrack 3



Individual combination



Shallow water

Animation

SpeedTrack



BalanceTrack



WiggleTrack

AquaTrack



High capacity

Kids aged 4+



Individual combination



KidsCourse



AquaTrack

No



item no.

min. water
depth

dimensions
l x w x h

user
capacity

31051

5'-6"
1,65 m

55'-9" x 6'-7" x
4'-11"
17 x 2 x 1,5 m

20





AquaDuel

No



item no.

min. water
depth

dimensions
l x w x h

user
capacity


31050

5'-6"
1,65 m

36'-1" x 6'-7" x
4'-11"
11 x 2 x 1,5 m

10





Upgrade your FastTrack with additional WiggleDiscs for a bigger challenge and more fun!

FastTrack 3

No

item no.



min. water depth



dimensions
l x w x h



user capacity

31044

3'-11"
1,2m

50'-10" x 8'-2" x
12"
15,5 x 2,5 x 0,3m

13



FitnessTrack*

No



item no.

min. water
depth

dimensions
l x w x h


user
capacity

31057

5'-6"
1,65 m

55'-9" x 7'-7" x
4'-11"
17 x 2,3 x 1,5 m

14



WiggleTrack

No



item no.

min. water
depth

dimensions
l x w x h

user
capacity

31039

3'-11"
1,2 m

41' x 6'-7" x
12"
12,5 x 2 x 0,3 m

14



Upgrade
your WiggleTrack
with additional
WiggleDiscs
for a bigger challenge
and more fun!



RodeoSplash

No



item no.

min. water
depth

dimensions
l x w x h

user
capacity

30103

5'-7"
1,7 m

13'-1" x 14'-9" x
5'-3"
4 x 4,5 x 1,6 m

6





SpeedTrack

No

item no.



min. water
depth



dimensions
l x w x h



user
capacity

31065

5'-9"
1,75 m

45'-11" x 7'-3" x
5'-7"
14 x 2,2 x 1,7 m

13



BalanceTrack

No

item no.



min. water
depth



dimensions
l x w x h



user
capacity

31066

5'-9"
1,75 m

45'-11" x 9'-10" x
5'-7"
14 x 3 x 1,7 m


14



Modular products

All modular products are equipped with connector straps, safety flaps & transport bags

The Wubit modular system enables products to be interconnected to form different shapes, sizes and styles of playgrounds on the water.

							
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	ActionTower XL 30000	6'-2" 1,9 m	14'-9" x 12'-10" x 6'-7" 4,5 x 3,9 x 2 m	4 x bungee	109 kg	4	300 kg
	ActionTower XXL 30001	7'-10" 2,4 m	29'-10" x 24'-11" x 9'-10" 9,1 x 7,6 x 3 m	4 x bungee	305 kg	8	600 kg
	BalanceBar L 30180	4'-1" 1,25 m	19'-8" x 6'-7" x 2'-4" 6 x 2 x 0,7 m	-	72 kg	5	350 kg
	BalanceBar S 30181	3'-11" 1,2 m	9'-10" x 6'-7" x 1'-12" 3 x 2 x 0,6 m	-	38 kg	3	250 kg
	BalanceBeam 30002	3'-11" 1,2 m	19'-8" x 6'-7" x 12" 6 x 2 x 0,3 m	-	43 kg	4	300 kg
	Base 30003	3'-11" 1,2 m	9'-10" x 6'-7" x 12" 3 x 2 x 0,3 m	-	36 kg	4	300 kg
	Base SUS 30131	3'-11" 1,2 m	9'-10" x 9'-6" x 12" 3 x 2,9 x 0,3 m	-	48 kg	4	300 kg
	Bend 30157	3'-11" 1,2 m	18'-1" x 18'-1" x 12" 5,5 x 5,5 x 0,3 m	1 x bungee	50 kg	3	200 kg
	Bridge 30013	4'-11" 1,5 m	9'-10" x 6'-7" x 3'-11" 3 x 2 x 1,2 m	-	35 kg	4	300 kg
	Cliff 30014	5'-6" 1,65 m	9'-10" x 6'-7" x 4'-11" 3 x 2 x 1,5 m	-	52 kg	4	300 kg

No



item no.

min. water
depthdimensions
l x w x h

includes

product
weightuser
capacitymax. load
capacity**Curve**
300164'-11"
1,5 m18'-1" x 18'-1" x
3'-7"
5,5 x 5,5 x 1,1 m

1 x bungee

254 lbs
115 kg

6

880 lbs
400 kg**Deck 3**
301475'-7"
1,7 m8'-6" x 9'-10" x
5'-3"
2,6 x 3 x 1,6 m

1 x bungee

132 lbs
60 kg

4

660 lbs
300 kg**DipBars**
301565'-3"
1,6 m9'-10" x 6'-7" x
4'-3"
3 x 2 x 1,3 m

-

100 lbs
45 kg

2

330 lbs
150 kg**Dome**
300785'-11"
1,8 m19'-8" x 9'-10" x
4'-3"
6 x 3 x 1,3 m

1 x bungee

229 lbs
104 kg

2

440 lbs
200 kg**Flip**
300196'-7"
2 m19' x 6'-7" x
3'-7"
5,8 x 2 x 1,1 m

1 x bungee

165 lbs
75 kg

2

330 lbs
150 kg**GuardTower**
300746'-3"
1,9 m19'-8" x 9'-10" x
13'-1"
6 x 3 x 4 m

3 x bungee

392 lbs
178 kg

3

660 lbs
300 kg**Halfpipe***
301014'-11"
1,5 m9'-10" x 13'-1" x
3'-11"
3 x 4 x 1,2 m

2 x bungee

198 lbs
90 kg


6

880 lbs
400 kg**HighBars**
301886'-11"
2,1 m9'-10" x 10'-6"
x 7'-7"
3 x 3,2 x 2,3 m

-

168 lbs
76 kg

3

440 lbs
200 kg**HighRoller**
300735'-7"
1,7 m29'-6" x 8'-10" x
5'-3"
9 x 2,7 x 1,6 m

2 x bungee

273 lbs
124 kg


4

660 lbs
300 kg**Hop**
301594'-7"
1,4 m9'-10" x 6'-7" x
3'-3"
3 x 2 x 1 m

-

66 lbs
30 kg


2

330 lbs
150 kg**Hurdle**
300793'-11"
1,2 m19'-8" x 8'-2" x
12"
6 x 2,5 x 0,3 m

-

70 lbs
32 kg

3

440 lbs
200 kg**Junction**
300253'-11"
1,2 m9'-10" x 9'-10" x
12"
3 x 3 x 0,3 m

1 x bungee

115 lbs
52 kg

4

660 lbs
300 kg

All modular products are equipped with connector straps, safety flaps & transport bags

No



item no.

min. water depth

dimensions l x w x h

includes

product weight

user capacity

max. load capacity

	L-Connect SUS 30135	3'-11" 1,2 m	18'-1" x 14'-5" x 12" 5,5 x 4,4 x 0,3 m	1 x bungee	179 lbs 81 kg	6	880 lbs 400 kg
	Ledge* 30130	7'-6" 2,3 m	14'-9" x 12'-10" x 8'-10" 4,5 x 3,9 x 2,7 m	2 x bungee	265 lbs 120 kg	4	660 lbs 300 kg
	LevelPass 30196	6'-11" 2,1 m	19'-10" x 11'-9" x 7'-10" 6 x 3,5 x 2,4 m	-	305 lbs 138 kg	6	1100 lbs 500 kg
	Logroll 30175	4'-3" 1,3 m	19'-8" x 6'-7" x 2'-6" 6 x 2 x 0,75 m	-	99 lbs 45 kg	3	660 lbs 300 kg
	MatchBall 30189	4'-1" 1,25 m	19'-8" x 13'-1" x 10'-6" 6 x 4 x 3,2 m	-	328 lbs 149 kg	6	880 lbs 400 kg
	MonkeyBars 30072	5'-7" 1,7 m	19'-8" x 13'-1" x 6'-11" 6 x 4 x 2,1 m	2 x bungee	381 lbs 173 kg	4	660 lbs 300 kg
	Mountain 30168	9'-10" 3 m	44'-11" x 29'-10" x 13'-2" 13,7 x 9,1 x 4 m	8 x bungee	1870 lbs 848 kg	12	1984 lbs 900 kg
	Peak 30129	7'-3" 2,2 m	19'-8" x 10'-6" x 8'-6" 6 x 3,2 x 2,6 m	2 x bungee	280 lbs 127 kg	4	660 lbs 300 kg
	Plank 30129	4'-11" 1,5 m	19'-8" x 6'-7" x 3'-11" 6 x 2 x 1,19 m	-	181 lbs 82 kg	3	660 lbs 300 kg
	Quarterpipe 30100	5'-3" 1,6 m	19'-8" x 8'-10" x 4'-7" 6 x 2,7 x 1,4 m	2 x bungee	267 lbs 121 kg	6	880 lbs 400 kg
	QuickJump 30178	4'-3" 1,3 m	9'-10" x 6'-7" x 2'-3" 3 x 2 x 0,8 m	-	97 lbs 44 kg	3	550 lbs 250 kg

item no.

min. water
depthdimensions
l x w x h

includes

product
weightuser
capacitymax. load
capacity**QuickJump L**
301974'4"
1,3 m19'10" x 6'7" x
2'8"
6 x 2 x 0,8 m

-

157 lbs
71 kg

6

880 lbs
400 kg**R-Connect
SUS**
301363'11"
1,2 m18'1" x 14'5" x
12"
5,5 x 4,4 x 0,3 m

1 x bungee

179 lbs
81 kg

6

880 lbs
400 kg**Roundabout**
300874'11"
1,5 m19'8" x 19'8" x
3'11"
6 x 6 x 1,2 m

1 x bungee

348 lbs
158 kg

6

880 lbs
400 kg**SideKick**
300403'11"
1,2 m8'2" x 8'2" x
12"
2,5 x 2,5 x 0,3 m

1 x bungee

51 lbs
23 kg

4

660 lbs
300 kg**Sidewalk**
301093'11"
1,2 m29'6" x 9'10" x
12"
9 x 3 x 0,3 m

2 x bungee

229 lbs
104 kg

12

1990 lbs
900 kg**Slide**
300424'11"
1,5 m9'10" x 6'7" x
3'7"
3 x 2 x 1,1 m

-

93 lbs
42 kg

4

660 lbs
300 kg**Slope**
300445'6"
1,65 m9'10" x 6'7" x
4'11"
3 x 2 x 1,5 m

2 x bungee

106 lbs
48 kg

4

660 lbs
300 kg**Spin**
301584'7"
1,4 m19'8" x 13'1" x
13'1"
6 x 4 x 4 m

2 x bungee

302 lbs
137 kg

4

660 lbs
300 kg**Springboard**
301208'2"
2,5 m19'8" x 19'8" x
10'6"
6 x 6 x 3,2 m

3 x bungee

703 lbs
319 kg

8

1320 lbs
600 kg**StartGate SUS**
301323'11"
1,2 m19'8" x 10'6" x
10'2"
6 x 3,2 x 3,1 m

2 x bungee

269 lbs
122 kg

8




1764 lbs
800 kg


All modular products are equipped with connector straps, safety flaps & transport bags

No



item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
----------	------------------	----------------------	----------	----------------	---------------	--------------------

	Step 30104	3'-11" 1,2 m	6'-7" x 6'-7" x 12" 2 x 2 x 0,3 m	-	73 lbs 33 kg	2	330 lbs 150 kg
	Step 6 30110	3'-11" 1,2 m	20'-8" x 9'-10" x 12" 6,3 x 3 x 0,3 m	2 x bungee	183 lbs 83 kg	6	1320 lbs 600 kg
	Swing 30047	5'-11" 1,8 m	19'-8" x 6'-7" x 10'-6" 6 x 2 x 3,2 m	-	207 lbs 94 kg	4	660 lbs 300 kg
	TakeOff 30142	3'-11" 1,2 m	6'-7" x 4'-11" x 12" 2 x 1,5 x 0,3 m	-	40 lbs 18 kg	2	330 lbs 150 kg
	Target 30121	3'-11" 1,2 m	19'-8" x 17'-9" x 12" 6 x 5,4 x 0,3 m	1 x bungee	152 lbs 69 kg	4	660 lbs 300 kg
	TargetJump 30179	5'-9" 1,75 m	9'-10" x 7'-3" x 5'-7" 3 x 2,2 x 1,7 m	-	97 lbs 44 kg	3	550 lbs 250 kg
	T-Connect 30075	3'-11" 1,2 m	9'-10" x 8'-2" x 12" 3 x 2,5 x 0,3 m	1 x bungee	110 lbs 50 kg	4	660 lbs 300 kg
	T-Connect SUS 30134	3'-11" 1,2 m	9'-10" x 9'-10" x 12" 3 x 3 x 0,3 m	1 x bungee	110 lbs 50 kg	4	660 lbs 300 kg
	Trampoline 2 30050 incl. hardware	8'-2" 2,5 m	19'-8" x 16'-5" x 2'-11" 6 x 5 x 0,9 m	1 x bungee 1 x ladder	452 lbs 205 kg	3	660 lbs 300 kg
	Trampoline 4 30080 incl. hardware	8'-2" 2,5 m	19'-8" x 19'-8" x 2'-11" 6 x 6 x 0,9 m	1 x bungee 1 x ladder	514 lbs 233 kg	3	660 lbs 300 kg

						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 Triplejump 30174	4'-7" 1,4 m	9'-10" x 6'-7" x 3'-3" 3 x 2 x 1 m	-	90 lbs 41 kg	3	660 lbs 300 kg
 Turn SUS 30137	3'-11" 1,2 m	18'-1" x 18'-1" x 12" 5,5 x 5,5 x 0,3 m	1 x bungee	207 lbs 94 kg	6	880 lbs 400 kg
 Twist 30128	3'-11" 1,2 m	19'-8" x 7'-7" x 2' 6 x 2,3 x 0,6 m	-	126 lbs 57 kg	4	660 lbs 300 kg
 V-Connect 30105	3'-11" 1,2 m	9'-10" x 6'-7" x 12" 3 x 2 x 0,3 m	-	51 lbs 23 kg	2	440 lbs 200 kg
 WiggleBoard 30187	4,-1" 1,25 m	9'-10" x 6'-7" x 2'-4" 3 x 2 x 0,7 m	-	75 lbs 34 kg	2	330 lbs 150 kg
 WiggleBridge StartBlocks (2 pcs.) 30062	3'-11" 1,2 m	6'-7" x 4'-11" x 12" 2 x 1,5 x 0,3 m per block	-	37 lbs 17 kg per block	2 per block	330 lbs 150 kg per block
 WiggleDiscs (3 pcs.) 30060	3'-11" 1,2 m	3'-3" x 3'-3" x 4" 1 x 1 x 0,1 m per disc	4 x Wiggle connector strap with carabiner	13 lbs 6 kg per disc	1 per disc	220 lbs 100 kg per disc
 Y-Connect 30076	3'-11" 1,2 m	10'-2" x 10'-2" x 12" 3,1 x 3,1 x 0,3 m	1 x bungee	93 lbs 42 kg	4	660 lbs 300 kg
 ZigZag 30182	4'-3" 1,3 m	19'-8" x 9'-10" x 2'-3" 6 x 3 x 0,8 m	-	134 lbs 61 kg	6	880 lbs 400 kg

*Subject to availability

· Sales according to our terms of trading

· Prices and specifications subject to change without notice

Standalone products

Standalone products cannot be connected to other products. They are usually positioned next to our SportsParks as an add-on. This increases the dimensions of the SportsPark area.

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	BeachCocoon* 30164	-	9'-10" x 9'-2" x 7'-5" 3 x 2,8 x 2,25 m	-	60 lbs 27kg	-	-
	BeachTent 30070	-	9'-2" x 6'-11" x 8'-2" 2,8 x 2,1 x 2,5 m	-	66 lbs 30 kg	-	-
	Billboard* 30004	-	15'-9" x 3'-11" x 3'-3" 4,8 x 1,2 x 1 m	-	75 lbs 34 kg	-	-
	Bouncer XXL 30008 incl. hardware	8'-2" 2,5 m	18'-4" x 18'-4" x 2'-11" 5,6 x 5,6 x 0,9 m	1 x bungee 1 x electric pump 1 x ladder	150 lbs 68 kg	3	660 lbs 300 kg
	DoubleRocker* 30018	4'-11" 1,5 m	10'-2" x 7'-4" x 4' 3,1 x 2,25 x 1,2 m	1 x bungee	117 lbs 53 kg	8	1320 lbs 600 kg
	Guard Board* 30085	-	7'-3" x 3'-3" x 12" 2,2 x 1 x 0,3 m	1 x paddle 1 x hand pump	38 lbs 17 kg	2	440 lbs 200 kg
	IceTower XXL 30024	9'-11" 3 m	19'-8" x 15'-1" x 13'-9" 6 x 4,6 x 4,2 m	4 x bungee 1 x electric pump	412 lbs 187 kg	8	1320 lbs 600 kg
	MatchBallArena 30199	4,0" 1,2 m	28'2" x 16'7" x 10'8" 8,5 x 5 x 3,2 m	-	655 lbs 297 kg	12	1980 lbs 900 kg
	PoloGoal 30032	-	8'-6" x 3'-11" x 3'-7" 2,6 x 1,2 x 1,1 m	1 x hand pump	31 lbs 14 kg	-	-


No

item no.

min. water
depthdimensions
l x w x h

includes

product
weightuser
capacitymax. load
capacity

	RodeoSplash 30103	5'-7" 1,7 m	13'-1" x 14'-1" x 5'-3" 4 x 4,3 x 1,6 m	1 x electric pump	267 lbs 121 kg	6	990 lbs 450 kg
	SafetyBuoys (3 pcs.) 30039	-	14'-9" x 0'-10" x 0'-10" 4,5 x 0,25 x 0,25 m per buoy	-	10 lbs 4,5 kg per buoy	-	-
	SpeedSlide 30195	4'-0" 1,2 m	46'-4" x 10'-11" x 2'-0" 14 x 3,3 x 0,6 m	-	424 lbs 192 kg	12	1980 lbs 900 kg
	Spinner* 30045	6'-7" 2 m	11'-10" x 11'-10" x 6'-7" 3,6 x 3,6 x 2 m	1 x bungee 1 x hand pump	132 lbs 60 kg	4	880 lbs 400 kg
	Splasher* 30046	4'-11" 1,5 m	7'-7" x 8'-2" x 3'-11" 2,3 x 2,5 x 1,2 m	-	66 lbs 30 kg	1	-
	TripleScore 30200	-	9'-5" x 8'-0" x 5'-2" 2,9 x 2,4 x 1,6 m	-	115 lbs 52 kg	-	-
	Volley 30055	-	37'-1" x 17'-5" x 5'-3" 11,3 x 5,3 x 1,6 m	1 x electric pump	99 lbs 45 kg	-	-
	WibitBoat 30111	-	9'-10" x 4'-11" x 2' 3 x 1,5 x 0,6 m	2 x oar 1 x hand pump	95 lbs 43 kg	3	880 lbs 400 kg
	Wibit Hand* 30057	3'-11" 1,2 m	11'-6" x 12'-2" x 0'-4" 3,5 x 3,7 x 0,1 m	1 x hand pump	71 lbs 32 kg	4	660 lbs 300 kg

*Subject to availability

· Sales according to our terms of trading

· Prices and specifications subject to change without notice



For kids
aged 4+

KidsCourse

No

item no.



min. water
depth



dimensions
l x w x h



user
capacity



includes


31048

4'-5"
1,35 m

52'-6" x 31'-2" x
12'-2"
16 x 9,5 x 3,7 m

36

KidsScale





KidsTrack

No

item no.



min. water
depth



dimensions
l x w x h



user
capacity



includes


31047

4'-5"
1,35 m

60'-8" x 14'-9" x
3'-3"
18,5 x 4,5 x 1 m

18

KidsScale



KidsRun

No

item no.



min. water
depth



dimensions
l x w x h



user
capacity



includes


31046

4'-5"
1,35 m

27'-11" x 9'-10" x
3'-3"
8,5 x 3 x 1 m


7

KidsScale




Kids products

Wibit Kids products are half the width of standard Wibit products. Kids products can be connected to a normal Wibit SportsPark using the Connector product.

	 No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max.load capacity
	Balance 33009	3'-11" 1,2 m	12'-6" x 3'-11" x 8" 3,8 x 1,2 x 0,2 m	-	42 lbs 19 kg	2	220 lbs 100 kg
	Bench 33007	4'-5" 1,35 m	12'-6" x 5'-11" x 2'-7" 3,8 x 1,8 x 0,8 m	-	88 lbs 40 kg	3	440 lbs 200 kg
	Base kids 33012	3'-11" 1,2 m	6'-7" x 3'-3" x 8" 2 x 1 x 0,2 m	-	31 lbs 14 kg	2	220 lbs 100 kg
	Base SUS kids 33013	3'-11" 1,2 m	6'-7" x 5'-7" x 8" 2 x 1,7 x 0,2 m	-	46 lbs 21 kg	2	220 lbs 100 kg
	Center 33003	3'-11" 1,2 m	10'-6" x 10'-2" x 12'-2" 3,2 x 3,1 x 3,7 m	-	139 lbs 63 kg	2	220 lbs 100 kg
	Cone 33010	3'-11" 1,2 m	12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m	-	121 lbs 55 kg	3	330 lbs 150 kg
	Connector 33014	3'-11" 1,2 m	9'-10" x 6'-7" x 12" 3 x 2 x 0,3 m	-	62 lbs 28 kg	3	330 lbs 150 kg
	CrossOver 33001	4'-5" 1,35 m	12'-6" x 3'-7" x 2'-7" 3,8 x 1,1 x 0,8 m	-	71 lbs 32 kg	3	330 lbs 150 kg
	Downhill 33005	4'-5" 1,35 m	12'-6" x 9'-6" x 3'-3" 3,8 x 2,9 x 1 m	-	137 lbs 62 kg	3	330 lbs 150 kg

All kids products are equipped with connector straps, safety flaps kids & transport bags

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Slip 33004	4'-5" 1,35 m	12'-6" x 8'-10" x 3'-3" 3,8 x 2,7 x 1 m	-	137 lbs 62 kg	4	440 lbs 200 kg
	Spiral 33002	4'-5" 1,35 m	12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m	-	115 lbs 52 kg	3	330 lbs 150 kg
	Step kids 33015	3'-11" 1,2 m	3'-3" x 2'-4" x 8" 1 x 0,7 x 0,2 m	-	13 lbs 6 kg	1	110 lbs 50 kg
	TakeOff kids 33011	3'-11" 1,2 m	3'-3" x 2' x 8" 1 x 0,6 x 0,2 m	-	13 lbs 6 kg	1	110 lbs 50 kg
	T-Connect SUS kids 33017	3'-11" 1,2 m	6'-7" x 5'-3" x 8" 2 x 1,6 x 0,2 m	-	35 lbs 16 kg	2	220 lbs 100 kg
	Y-Connect SUS kids 33016	3'-11" 1,2 m	9'-2" x 5'-11" x 8" 2,8 x 1,8 x 0,2 m	-	55 lbs 25 kg	3	330 lbs 150 kg

- Sales according to our terms of trading
- Prices and specifications subject to change without notice





Let's talk!

+49 (0) 2871 23820-0 | contact@wibitsports.com
Wibit Sports GmbH | Am Gut Baarking 15 | 46395 Bocholt, Germany



www.wibitsports.com