



OPEN WATER PRODUCT LIST

FROM THE WORLD'S
LEADING FLOATING
WATER PARK BRAND


Valid from September, 2025



Modular products

All modular products are equipped with connector straps, safety flaps & transport bags

The Wubit modular system enables products to be interconnected to form different shapes, sizes and styles of playgrounds on the water.

						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 ActionTower XL 30000	6'2" 1,9 m	14'9" x 12'10" x 6'7" 4,5 x 3,9 x 2 m	4 x bungee	109 kg	4	300 kg
 ActionTower XXL 30001	7'10" 2,4 m	29'10" x 24'11" x 9'10" 9,1 x 7,6 x 3 m	4 x bungee	305 kg	8	600 kg
 BalanceBar L 30180	4'1" 1,25 m	19'8" x 6'7" x 2'4" 6 x 2 x 0,7 m	-	72 kg	5	350 kg
 BalanceBar S 30181	3'11" 1,2 m	9'10" x 6'7" x 1'12" 3 x 2 x 0,6 m	-	38 kg	3	250 kg
 BalanceBeam 30002	3'11" 1,2 m	19'8" x 6'7" x 12" 6 x 2 x 0,3 m	-	43 kg	4	300 kg
 Base 30003	3'11" 1,2 m	9'10" x 6'7" x 12" 3 x 2 x 0,3 m	-	36 kg	4	300 kg
 Base SUS 30131	3'11" 1,2 m	9'10" x 9'6" x 12" 3 x 2,9 x 0,3 m	-	48 kg	4	300 kg
 Bend 30157	3'11" 1,2 m	18'1" x 18'1" x 12" 5,5 x 5,5 x 0,3 m	1 x bungee	50 kg	3	200 kg
 Bridge 30013	4'11" 1,5 m	9'10" x 6'7" x 3'11" 3 x 2 x 1,2 m	-	35 kg	4	300 kg
 Cliff 30014	5'6" 1,65 m	9'10" x 6'7" x 4'11" 3 x 2 x 1,5 m	-	52 kg	4	300 kg



item no.

min. water depth

dimensions l x w x h

includes

product weight

user capacity

max. load capacity



CornerSwing
30191

6'9"
2,05 m

18'1" x 18'1" x 14'9"
5,5 x 5,5 x 4,5 m

4 x bungee

690 lbs
313 kg

10

1540 lbs
700 kg



Curve
30016

4'11"
1,5 m

18'1" x 18'1" x 3'7"
5,5 x 5,5 x 1,1 m

1 x bungee

254 lbs
115 kg

6

880 lbs
400 kg



Deck 3
30147

5'7"
1,7 m

8'6" x 9'10" x 5'3"
2,6 x 3 x 1,6 m

1 x bungee

132 lbs
60 kg

4

660 lbs
300 kg



DipBars
30156

5'3"
1,6 m

9'10" x 6'7" x 4'3"
3 x 2 x 1,3 m

-

100 lbs
45 kg

2

330 lbs
150 kg



DoubleCurve
30190

4'5"
1,35 m

19'8" x 19'8" x 2'9"
6 x 6 x 0,85 m

1 x bungee

269 lbs
122 kg

6

880 lbs
400 kg



Dome
30078

5'11"
1,8 m

19'8" x 9'10" x 4'3"
6 x 3 x 1,3 m

1 x bungee

229 lbs
104 kg

2

440 lbs
200 kg



Flip
30019

6'7"
2 m

19' x 6'7" x 3'7"
5,8 x 2 x 1,1 m

1 x bungee

165 lbs
75 kg

2

330 lbs
150 kg



GuardTower
30074

6'3"
1,9 m

19'8" x 9'10" x 13'1"
6 x 3 x 4 m

3 x bungee

392 lbs
178 kg

3

660 lbs
300 kg



Halfpipe*
30101

4'11"
1,5 m

9'10" x 13'1" x 3'11"
3 x 4 x 1,2 m

2 x bungee

198 lbs
90 kg

6

880 lbs
400 kg



HighBars
30188

6'11"
2,1 m

9'10" x 10'6" x 7'10"
3 x 3,2 x 2,4 m

-

176 lbs
80 kg

3

440 lbs
200 kg



HighRoller
30073

5'7"
1,7 m

29'6" x 8'10" x 5'3"
9 x 2,7 x 1,6 m

2 x bungee

273 lbs
124 kg

4

660 lbs
300 kg



Hop
30159

4'7"
1,4 m

9'10" x 6'7" x 3'3"
3 x 2 x 1 m

-

66 lbs
30 kg

2

330 lbs
150 kg

All modular products are equipped with connector straps, safety flaps & transport bags

No



item no.

min. water depth



dimensions
l x w x h

includes

product weight

user capacity

max. load capacity

	Hurdle 30079	3'11" 1,2 m	19'8" x 8'2" x 12" 6 x 2,5 x 0,3 m	-	70 lbs 32 kg	3	440 lbs 200 kg
	Junction 30025	3'11" 1,2 m	9'10" x 9'10" x 12" 3 x 3 x 0,3 m	1 x bungee	115 lbs 52 kg	4	660 lbs 300 kg
	L-Connect SUS 30135	3'11" 1,2 m	18'1" x 14'5" x 12" 5,5 x 4,4 x 0,3 m	1 x bungee	179 lbs 81 kg	6	880 lbs 400 kg
	Ledge* 30130	7'6" 2,3 m	14'9" x 12'10" x 8'10" 4,5 x 3,9 x 2,7 m	2 x bungee	265 lbs 120 kg	4	660 lbs 300 kg
	LevelPass 30196	6'11" 2,1 m	19'10" x 11'9" x 7'10" 6 x 3,5 x 2,4 m	-	305 lbs 138 kg	6	1100 lbs 500 kg
	Level- R-Connect 30192	7'1" 2,15 m	14'5" x 18'1" x 8'2" 4,4 x 5,5 x 2,5 m	3 x bungee	344 lbs 156 kg	6	880 lbs 400 kg
	Logroll 30175	4'3" 1,3 m	19'8" x 6'7" x 2'6" 6 x 2 x 0,75 m	-	99 lbs 45 kg	3	660 lbs 300 kg
	MatchBall 30189	4'1" 1,25 m	19'8" x 13'1" x 10'6" 6 x 4 x 3,2 m	-	335 lbs 152 kg	6	800 lbs 400 kg
	MonkeyBars 30072	5'7" 1,7 m	19'8" x 13'1" x 6'11" 6 x 4 x 2,1 m	2 x bungee	381 lbs 173 kg	4	660 lbs 300 kg
	Mountain 30168	9'10" 3 m	44'11" x 29'10" x 13'2" 13,7 x 9,1 x 4 m	8 x bungee	1870 lbs 848 kg	12	1984 lbs 900 kg
	Parcour- L-Connect 30193	6'9" 2,05 m	18'1" x 14'5" x 7'7" 5,5 x 4,4 x 2,3 m	3 x bungee	337 lbs 153 kg	6	880 lbs 400 kg

item no.

min. water
depthdimensions
l x w x h

includes

product
weightuser
capacitymax. load
capacity**Peak**
301297'3"
2,2 m19'8" x 10'6" x 8'6"
6 x 3,2 x 2,6 m

2 x bungee

280 lbs
127 kg

4

660 lbs
300 kg**Plank**
301294'11"
1,5 m19'8" x 6'7" x 3'11"
6 x 2 x 1,19 m

-

181 lbs
82 kg

3

660 lbs
300 kg**Quarterpipe**
301005'3"
1,6 m19'8" x 8'10" x 4'7"
6 x 2,7 x 1,4 m

2 x bungee

267 lbs
121 kg

6

880 lbs
400 kg**QuickJump**
301784'3"
1,3 m9'10" x 6'7" x 2'3"
3 x 2 x 0,8 m

-

97 lbs
44 kg

3

550 lbs
250 kg

NEW!

QuickJump L
301974'4"
1,3 m19'10" x 6'7" x 2'8"
6 x 2 x 0,8 m

-

157 lbs
71 kg

6

880 lbs
400 kg**R-Connect
SUS**
301363'11"
1,2 m18'1" x 13'1" x 12"
5,5 x 4,4 x 0,3 m

1 x bungee

81 kg

6

400 kg

**Roundabout**
300874'11"
1,5 m19'8" x 19'8" x 3'11"
6 x 6 x 1,2 m

1 x bungee

158 kg

6

400 kg

**SideKick**
300403'11"
1,2 m

2,5 x 2,5 x 0,3 m

1 x bungee

23 kg

4

300 kg

**Sidewalk**
301093'11"
1,2 m29'6" x 9'10" x 12"
9 x 3 x 0,3 m

2 x bungee

104 kg

12

900 kg

**Slide**
300424'11"
1,5 m9'10" x 6'7" x 3'7"
3 x 2 x 1,1 m

-

42 kg

4

300 kg

**Slope**
300445'6"
1,65 m9'10" x 6'7" x 4'11"
3 x 2 x 1,5 m

2 x bungee

48 kg

4

300 kg

**Spin**
301584'7"
1,4 m19'8" x 4'6" x 6'4"
6 x 4 x 4 m

2 x bungee

137 kg

4

300 kg

All modular products are equipped with connector straps, safety flaps & transport bags

No



item no.

min. water depth

dimensions l x w x h

includes

product weight

user capacity

max. load capacity



Springboard
30120

8'2"
2,5 m

19'8" x 19'8" x 10'6"
6 x 6 x 3,2 m

3 x bungee

319 kg

8

600 kg



**StartGate
SUS**
30132

3'11"
1,2 m

19'8" x 10'6" x 10'2"
6 x 3,2 x 3,1 m

2 x bungee

122 kg

8

800 kg



Step
30104

3'11"
1,2 m

6'7" x 6'7" x 12"
2 x 2 x 0,3 m

-

33 kg

2

150 kg



Step 6
30110

3'11"
1,2 m

20'8" x 9'10" x 12"
6,3 x 3 x 0,3 m

2 x bungee

183 lbs
83 kg

6

1320 lbs
600 kg



Swing
30047

5'11"
1,8 m


19'8" x 6'7" x 10'6"
6 x 2 x 3,2 m

-

207 lbs
94 kg

4

660 lbs
300 kg



TakeOff
30142

3'11"
1,2 m

6'7" x 4'11" x 12"
2 x 1,5 x 0,3 m

-

40 lbs
18 kg

2

330 lbs
150 kg



Target
30121

3'11"
1,2 m

19'8" x 17'9" x 12"
6 x 5,4 x 0,3 m

1 x bungee

152 lbs
69 kg

4

660 lbs
300 kg



TargetJump
30179

5'9"
1,75 m

9'10" x 7'3" x 5'7"
3 x 2,2 x 1,7 m

-

97 lbs
44 kg

3

550 lbs
250 kg



T-Connect
30075

3'11"
1,2 m

9'10" x 8'2" x 12"
3 x 2,5 x 0,3 m

1 x bungee

110 lbs
50 kg

4

660 lbs
300 kg



**T-Connect
SUS**
30134

3'11"
1,2 m



9'10" x 9'10" x 12"
3 x 3 x 0,3 m

1 x bungee

110 lbs
50 kg

4

660 lbs
300 kg

						
item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
 Trampoline 2 30050 incl. hardware	8'2" 2,5 m	19'8" x 16'5" x 2'11" 6 x 5 x 0,9 m	1 x bungee 1 x ladder	452 lbs 205 kg	3	660 lbs 300 kg
 Trampoline 4 30080 incl. hardware	8'2" 2,5 m	19'8" x 19'8" x 2'11" 6 x 6 x 0,9 m	1 x bungee 1 x ladder	514 lbs 233 kg	3	660 lbs 300 kg
 TripleJump 30174	4'-7" 1,4 m	9'-10" x 6'-7" x 3'-3" 3 x 2 x 1 m	-	90 lbs 41 kg	3	660 lbs 300 kg
 Turn SUS 30137	3'11" 1,2 m	18'1" x 18'1" x 12" 5,5 x 5,5 x 0,3 m	1 x bungee	94 kg	6	400 kg
 Twist 30128	3'11" 1,2 m	19'8" x 7'7" x 2' 6 x 2,3 x 0,6 m	-	126 lbs 57 kg	4	660 lbs 300 kg
 V-Connect 30105	3'11" 1,2 m	9'10" x 6'7" x 12" 3 x 2 x 0,3 m	-	51 lbs 23 kg	2	440 lbs 200 kg
 Wave 30198	11'2" 3,4 m	62'2" x 28'5" x 16,7" 18,8 x 8,6 x 5 m	1x special cover flap 1x Hydroflow* ¹	2485 lbs 1127 kg	30	4400 lbs 2000 kg
 WiggleBoard 30187	4,1" 1,25 m	9'10" x 6'7" x 2'4" 3 x 2 x 0,7 m	-	86 lbs 39 kg	2	330 lbs 150 kg
 WiggleBridge StartBlocks (2 pcs.) 30062	3'11" 1,2 m	6'-7" x 4'-11" x 12" 2 x 1,5 x 0,3 m per block	-	37 lbs 17 kg per block	2 per block	330 lbs 150 kg per block
 WiggleDiscs (3 pcs.) 30060	3'11" 1,2 m	3'3" x 3'3" x 4" 1 x 1 x 0,1 m per disc	4 x Wiggle connector strap with carabiner	13 lbs 6 kg per disc	1 per disc	220 lbs 100 kg per disc
 Y-Connect 30076	3'11" 1,2 m	10'2" x 10'2" x 12" 3,1 x 3,1 x 0,3 m	1 x bungee	93 lbs 42 kg	4	660 lbs 300 kg
 ZigZag 30182	4'3" 1,3 m	19'8" x 9'10" x 2'3" 6 x 3 x 0,8 m	-	134 lbs 61 kg	6	880 lbs 400 kg

*Subject to availability *¹ optional

· Sales according to our terms of trading · Prices and specifications subject to change without notice

Standalone products

Standalone products cannot be connected to other products. They are usually positioned next to our SportsParks as an add-on. This increases the dimensions of the SportsPark area.

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	BeachCocoon* 30164	-	9'10" x 9'2" x 7'5" 3 x 2,8 x 2,25 m	-	60 lbs 27kg	-	-
	BeachTent 30070	-	9'2" x 6'11" x 8'2" 2,8 x 2,1 x 2,5 m	-	66 lbs 30 kg	-	-
	Billboard* 30004	-	15'9" x 3'11" x 3'3" 4,8 x 1,2 x 1 m	-	75 lbs 34 kg	-	-
	Bouncer XXL 30008 incl. hardware	8'2" 2,5 m	18'4" x 18'4" x 2'11" 5,6 x 5,6 x 0,9 m	1 x bungee 1 x electric pump 1 x ladder	150 lbs 68 kg	3	660 lbs 300 kg
	DoubleRocker* 30018	4'11" 1,5 m	10'2" x 7'4" x 4" 3,1 x 2,25 x 1,2 m	1 x bungee	117 lbs 53 kg	8	1320 lbs 600 kg
	Guard Board* 30085	-	7'3" x 3'3" x 12" 2,2 x 1 x 0,3 m	1 x paddle 1 x hand pump	38 lbs 17 kg	2	440 lbs 200 kg
	IceTower XXL 30024	9'11" 3 m	19'8" x 15'1" x 13'9" 6 x 4,6 x 4,2 m	4 x bungee 1 x electric pump	412 lbs 187 kg	8	1320 lbs 600 kg
	MatchBallArena 30199	4,0" 1,2 m	28'2" x 16'7" x 10'8" 8,5 x 5 x 3,2 m	-	655 lbs 297 kg	12	1980 lbs 900 kg
	MultiClimb 30194	7'1" 2,15 m	24'7" x 19'8" x 8'2" 7,5 x 6 x 2,5 m	4 x bungee	672 lbs 305 kg	11	1870 lbs 850 kg

No



item no.

min. water
depthdimensions
l x w x h

includes

product
weightuser
capacitymax. load
capacity**PoloGoal**
30032

-

8'6" x 3'11" x 3'7"
2,6 x 1,2 x 1,1 m1 x
hand pump31 lbs
14 kg

-

-

**RodeoSplash**
301035'7"
1,7 m13'1" x 14'1" x 5'3"
4 x 4,3 x 1,6 m1 x electric
pump267 lbs
121 kg

6

990 lbs
450 kg**SafetyBuoys**
(3 pcs.)
30039

-

14'9" x 0'10" x 0'10"
4,5 x 0,25 x 0,25 m
per buoy

-

10 lbs
4,5 kg
per buoy

-

-



NEW!

SpeedSlide
301954'0"
1,2 m46'4" x 10'11" x 2'0"
14 x 3,3 x 0,6 m

-

424 lbs
192 kg

12

1980 lbs
900 kg**Spinner***
300456'7"
2 m11'10" x 11'10" x 6'7"
3,6 x 3,6 x 2 m1 x bungee
1 x hand
pump132 lbs
60 kg

4

880 lbs
400 kg**Splasher***
300464'11"
1,5 m7'7" x 8'2" x 3'11"
2,3 x 2,5 x 1,2 m

-

66 lbs
30 kg

1

-



NEW!

TripleScore
30200

-


9'5" x 8'0" x 5'2"
2,9 x 2,4 x 1,6 m

-

115 lbs
52 kg

-

-

**Volley**
30055

-

37'1" x 17'5" x 5'3"
11,3 x 5,3 x 1,6 m1 x electric
pump99 lbs
45 kg

-

-

**WibitBoat**
30111

-

9'10" x 4'11" x 2'
3 x 1,5 x 0,6 m2 x oar
1 x hand
pump95 lbs
43 kg

3

880 lbs
400 kg**Wibit Hand***
300573'11"
1,2 m11'6" x 12'2" x 0'4"
3,5 x 3,7 x 0,1 m1 x hand
pump71 lbs
32 kg

4

660 lbs
300 kg

*Subject to availability

· Sales according to our terms of trading

· Prices and specifications subject to change without notice

Wibit WatchLine

Maximum Safety with unlimited fun: Choose from four different products to optimize your safety concept. All products are multifunctional and offer comfort, unlimited flexibility and versatile functionality.

	 No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	WatchAround 30184	6'-1" 1,85 m	8'-2" x 8'-2" x 11'-2" 2,5 x 2,5 x 3,4 m	1 x pre-attached connector belt	192 lbs 87 kg	+2	440 lbs 200 kg
	WatchRaft 30185	4'-1" 1,25 m	14'-9" x 14'-9" x 8'-2" 4,5 x 4,5 x 2,5 m	-	370 lbs 168 kg	12	1980 lbs 900 kg
	WatchSpot 30183	5'-2" 1,6 m	12'-10" x 14'-9" x 11'-6" 3,9 x 4,5 x 3,5 m	1 x safety flap 2 x connector strap	276 lbs 125 kg	6	990 lbs 450 kg
	WatchTopper 30186	S: 5'-3" / M: 6'-7" / L: 7'-11" S: 1,6 m / M: 2 m / L: 2,4 m	9'-10" x 8'-2" x 11'-6" 3 x 2,5 x 3,5 m	4 x connector strap 2' 6" / 75 cm 1 x connector strap 4' 11" / 150 cm	119 lbs 54 kg	3	660 lbs 300 kg

- Sales according to our terms of trading
- Prices and specifications subject to change without notice





For kids
aged 4+



KidsCircuit

No

item no.



min. water
depth



dimensions
l x w x h



user
capacity



includes


31049

4'-5"
1,35 m

49'-3" x 36'-1" x
12'-2"
15 x 11 x 3,7 m

40

KidsScale



KidsCourse

No

item no.



min. water
depth



dimensions
l x w x h



user
capacity



includes


31048

4'-5"
1,35 m

52'-6" x 31'-2" x
12'-2"
16 x 9,5 x 3,7 m


36

KidsScale




Kids products

Wibit Kids products are half the width of standard Wibit products. Kids products can be connected to a normal Wibit SportsPark using the Connector product.

	 No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max. load capacity
	Balance 33009	3'-11" 1,2 m	12'-6" x 3'-11" x 8" 3,8 x 1,2 x 0,2 m	-	42 lbs 19 kg	2	220 lbs 100 kg
	Bench 33007	4'-5" 1,35 m	12'-6" x 5'-11" x 2'-7" 3,8 x 1,8 x 0,8 m	-	88 lbs 40 kg	3	440 lbs 200 kg
	Base kids 33012	3'-11" 1,2 m	6'-7" x 3'-3" x 8" 2 x 1 x 0,2 m	-	31 lbs 14 kg	2	220 lbs 100 kg
	Base SUS kids 33013	3'-11" 1,2 m	6'-7" x 5'-7" x 8" 2 x 1,7 x 0,2 m	-	46 lbs 21 kg	2	220 lbs 100 kg
	Center 33003	3'-11" 1,2 m	10'-6" x 10'-2" x 12'-2" 3,2 x 3,1 x 3,7 m	-	139 lbs 63 kg	2	220 lbs 100 kg
	Cone 33010	3'-11" 1,2 m	12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m	-	121 lbs 55 kg	3	330 lbs 150 kg
	Connector 33014	3'-11" 1,2 m	9'-10" x 6'-7" x 12" 3 x 2 x 0,3 m	-	62 lbs 28 kg	3	330 lbs 150 kg
	CrossOver 33001	4'-5" 1,35 m	12'-6" x 3'-7" x 2'-7" 3,8 x 1,1 x 0,8 m	-	71 lbs 32 kg	3	330 lbs 150 kg
	Downhill 33005	4'-5" 1,35 m	12'-6" x 9'-6" x 3'-3" 3,8 x 2,9 x 1 m	-	137 lbs 62 kg	3	330 lbs 150 kg

All kids products are equipped with connector straps, safety flaps kids & transport bags

	No						
	item no.	min. water depth	dimensions l x w x h	includes	product weight	user capacity	max.load capacity
	Slip 33004	4'-5" 1,35 m	12'-6" x 8'-10" x 3'-3" 3,8 x 2,7 x 1 m	-	137 lbs 62 kg	4	440 lbs 200 kg
	Spiral 33002	4'-5" 1,35 m	12'-6" x 10'-10" x 3'-3" 3,8 x 3,3 x 1 m	-	115 lbs 52 kg	3	330 lbs 150 kg
	Step kids 33015	3'-11" 1,2 m	3'-3" x 2'-4" x 8" 1 x 0,7 x 0,2 m	-	13 lbs 6 kg	1	110 lbs 50 kg
	TakeOff kids 33011	3'-11" 1,2 m	3'-3" x 2' x 8" 1 x 0,6 x 0,2 m	-	13 lbs 6 kg	1	110 lbs 50 kg
	T-Connect SUS kids 33017	3'-11" 1,2 m	6'-7" x 5'-3" x 8" 2 x 1,6 x 0,2 m	-	35 lbs 16 kg	2	220 lbs 100 kg
	Y-Connect SUS kids 33016	3'-11" 1,2 m	9'-2" x 5'-11" x 8" 2,8 x 1,8 x 0,2 m	-	55 lbs 25 kg	3	330 lbs 150 kg

- Sales according to our terms of trading
- Prices and specifications subject to change without notice



Let's talk!

+49 (0) 2871 23820-0 | contact@wibitsports.com
Wibit Sports GmbH | Am Gut Baarking 15 | 46395 Bocholt, Germany



www.wibitsports.com